

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : A61K 39/00, 39/38, 39/12, C12P 21/04, C12N 7/00, 7/01, 7/02, 7/04, 7/06, 7/08, 15/00, 15/09, 15/63, 15/70, 15/74		A1	(11) International Publication Number: WO 98/09646
(21) International Application Number: PCT/US97/12955			(43) International Publication Date: 12 March 1998 (12.03.98)
(22) International Filing Date: 31 July 1997 (31.07.97)			(74) Agents: KITTS, Monica, Chin et al.; Nikaido, Marmelstein, Murray & Oram LLP, Suite 330, Metropolitan Square - "G" Street Lobby, 655 15th Street N.W., Washington, DC 20005-5701 (US).
(30) Priority Data: 08/708,541 5 September 1996 (05.09.96) US			(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).
(60) Parent Application or Grant (63) Related by Continuation US Filed on 08/708,541 (CIP) 5 September 1996 (05.09.96)			(71) Applicant (for all designated States except US): UNIVERSITY OF MARYLAND - BIOTECHNOLOGY INSTITUTE [US/US]; Suite 500, 4321 Hartwick Road, College Park, MD 20740 (US).
(72) Inventors; and (75) Inventors/Applicants (for US only): VAKHARIA, Vikram, N. [US/US]; 11332 Booth Bay Way, Bowie, MD 20720 (US). MUNDT, Egbert [DE/DE]; Ring Strasse 12, D-17498 Rieurserorf (DE).			(Published <i>With international search report.</i>)

(54) Title: A METHOD FOR GENERATING BIRNAVIRUS FROM SYNTHETIC RNA TRANSCRIPTS

(57) Abstract

A system for the generation of live Birnavirus such as infectious bursal disease virus (IBDV), a segmented double-stranded (ds)RNA virus of the *Birnaviridae* family, using synthetic transcripts derived from cloned DNA has been developed. Independent full-length cDNA clones were constructed which contained the entire coding and non-coding regions of RNA segments A and B of IBDV, respectively. Synthetic RNAs of both segments were produced by *in vitro* transcription of linearized plasmids with T7 RNA polymerase. Transfection of Vero cells with combined plus-sense transcripts of both segments generated infectious virus as early as 36 hours post-transfection. The development of a reverse genetics system for dsRNA viruses will greatly facilitate studies of the regulation of viral gene expression pathogenesis, and design of a new generation of live and inactivated vaccines.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		

A METHOD FOR GENERATING BIRNAVIRUS FROM SYNTHETIC RNA TRANSCRIPTS

Background of the Invention

Infectious bursal disease virus (IBDV), a member of the *Bimaviridae* family, is the causative agent of a highly immunosuppressive disease in young chickens (Kibenge, F.S.B., et al., *J. Gen. Virol.*, 69, 1757-1775 (1988)). Infectious bursal disease (IBD) or Gumboro disease is characterized by the destruction of lymphoid follicles in the bursa of Fabricius. In a fully susceptible chicken flock of 3-6 weeks of age the clinical disease causes severe immunosuppression, and is responsible for losses due to impaired growth, decreased feed efficiency, and death. Susceptible chickens less than 3 weeks old do not exhibit outward clinical signs of the disease but have a marked infection characterized by gross lesions of the bursa.

The virus associated with the symptoms of the disease is called infectious bursal disease virus (IBDV). IBDV is a pathogen of major economic importance to the nation and world's poultry industries. It causes severe immunodeficiency in young chickens by destruction of precursors of antibody-production B cells in the bursa of Fabricius. Immunosuppression causes increased susceptibility to other diseases, and interferes with effective vaccination against Newcastle disease, Marek's disease and infectious bronchitis disease viruses.

There are two known serotypes of IBDV. Serotype I viruses are pathogenic to chickens whereas serotype II viruses infect chickens and turkeys. The infection of turkeys is presently of unknown clinical significance.

IBDV belongs to a group of viruses called *Bimaviridae* which includes other bisegmented RNA viruses such as infectious pancreatic necrosis virus (fish), tellina virus and oyster virus (bivalve mollusks) and drosophila X virus (fruit fly). These viruses all contain high molecular weight (MW) double-stranded RNA genomes.

The capsid of the IBDV virion consists of several structural proteins. As many as nine structural proteins have been reported but there is evidence that some of these may have a precursor-product relationship (Kibenge,

F.S.B., et al., *J. Gen. Virol.*, 69, 1757-1775 (1988)). The designation and molecular weights of the viral proteins (VP) are as shown below.

	Viral Protein	Molecular Weight
5		
	VP1	90 kDa
	VP2	41 kDa
	VP3	32 kDa
	VP4	28 kDa
10	VP5	17 kDa

Two segments of double-stranded RNA were identified in the genome of IBDV. The IBDV genome consists of two segments of double-stranded (ds)RNA that vary between 2827 (segment B) to 3261 (segment A) nucleotide base pairs (Mundt, E. et al., *Virology*, 209, 10-18 (1995)). The larger segment A encodes a polyprotein which is cleaved by autoproteolysis to form mature viral proteins VP2, VP3 and VP4 (Hudson, P.J. et al., *Nucleic Acids Res.*, 14, 5001-5012 (1986)). VP2 and VP3 are the major structural proteins of the virion. VP2 is the major host-protective immunogen of IBDV, and contains the antigenic regions responsible for the induction of neutralizing antibodies (Azad, et al., *Virology*, 161, 145-152 (1987)). A second open reading frame (ORF), preceding and partially overlapping the polyprotein gene, encodes a protein (VP5) of unknown function that is present in IBDV-infected cells (Mundt, E., et al., *J. Gen. Virol.*, 76, 437-443, (1995)). The smaller segment B encodes VP1, a 90-kDa multifunctional protein with polymerase and capping enzyme activities (Spies, U., et al., *Virus Res.*, 8, 127-140 (1987); Spies, U., et al., *J. Gen. Virol.*, 71, 977-981 (1990)).

It has been demonstrated that the VP2 protein is the major host protective immunogen of IBDV, and that it contains the antigenic region responsible for the induction of neutralizing antibodies. The region containing the neutralization site has been shown to be highly conformation-dependent. The VP3 protein has been considered to be a group-specific antigen because

it is recognized by monoclonal antibodies directed against it from strains of both serotype I and II viruses. The VP4 protein appears to be a virus-coded protease that is involved in the processing of a precursor polyprotein of the VP2, VP3 and VP4 proteins.

5 Although the nucleotide sequences for genome segments A and B of various IBDV strains have been published, it was only recently that the complete 5'- and 3'-noncoding sequences of both segments were determined. The 5'-noncoding region of IBDV segments A and B contain a consensus sequence of 32 nucleotides, whereas the 3'-noncoding terminal sequences
10 of both segments are unrelated, but conserved among IBDV strains of the same serotype (Mundt, E. et al., *Virology*, 209, 10-18 (1995)). These terminii might contain sequences important in packaging and in the regulation of IBDV gene expression, as demonstrated for other dsRNA containing viruses such as mammalian and plant reoviruses, and rotaviruses (Anzola, et al., *Proc.
15 Natl. Acad. Sci. USA*, 84, 8301-8305 (1987); Zou, S., et al., *Virology*, 186,
377-388 (1992); Gorziglia, M.I., et al., *Proc. Natl. Acad. Sci. USA*, 89, 5784-
5788 (1992)).

In recent years, a number of infectious animal RNA viruses have been generated from cloned cDNA using transcripts produced by DNA-dependent
20 RNA polymerase (Boyer, J.C., et al., *Virology*, 198, 415-426 (1994)). For example poliovirus, a plus-stranded RNA virus; influenza virus, a segmented negative-stranded RNA virus; rabies virus, a non-segmented negative-stranded RNA virus; all were recovered from cloned cDNAs of their respective genomes (van der Werf, S., et al., *Proc. Natl. Acad. Sci. USA*, 83, 2330-2334
25 (1986); Enami, M., et al., *Proc. Natl. Acad. Sci. USA*, 87, 3802-3805 (1990); Schnell, M.J., et al., *EMBO J.*, 13, 4195-4205 (1994)). For reovirus, it was shown that transfection of cells with a combination of SSRNA, dsRNA and *in vitro* translated reovirus products generated infectious reovirus when complemented with a helper virus from a different serotype (Roner, M.R., et al., *Virology*, 179, 845-852 (1990)). However, to date, there has been no report of a recovered infectious virus of segmented dsRNA genome from synthetic RNAs only.

Summary of the Invention

This invention relates to the infectious bursal disease virus (IBDV) that is associated with Gumboro disease of young chickens. More particularly, this invention relates to a system for the generation of infectious bursal disease virus (IBDV) using synthetic transcripts derived from cloned cDNA. The present invention will facilitate studies of the regulation of viral gene expression, pathogenesis and design of a new generation of live and inactivated vaccines.

Detailed Description of the Invention

In an effort to develop a reverse genetics system for IBDV, three independent full-length cDNA clones which contain segment A of serotype I strain D78 or serotype II strain 23/82 and segment B of the serotype I strain P2, respectively, were constructed. Synthetic RNAs of segments A and B were produced by *in vitro* transcription reaction on linearized plasmids with T7 RNA polymerase. Transcripts of these segments, either untreated or treated with DNase or RNase, were evaluated for the generation of infectious virus by transfection of Vero cells.

The present inventors have demonstrated that synthetic transcripts derived from cloned DNA corresponding to the entire genome of a segmented dsRNA animal virus can give rise to a replicating virus. The recovery of infectious virus after transfecting cells with synthetic plus-sense RNAs derived from cloned cDNA of a virus with a dsRNA genome (IBDV) completes the quest of generating reverse infectious systems for RNA viruses. A number of investigators have generated infectious animal RNA viruses from cloned cDNA (Boyer, J.C., et al., *Virology*, 198, 415-426 (1994)). Van der Werf et al. were first to generate poliovirus, a plus-stranded RNA virus, using synthetic RNA produced by T7 RNA polymerase on cloned cDNA template (van der Werf, S., et al., *Proc. Natl. Acad. Sci. USA*, 83, 2330-2334 (1986)). later, Enami et al. rescued influenza virus, a segmented negative-stranded RNA virus (Enami, M., et al., *Proc. Natl. Acad. Sci. USA*, 87, 3802-3805 (1990)); and Schnell et al. generated rabies virus, a non-segmented negative-stranded RNA virus, from cloned cDNAs of their respective genomes (Schnell, M.J., et

al., *EMBO J.*, 13, 4195-4205 (1994)). Roner et al. developed an infectious system for a segmented dsRNA reovirus by transfecting cells with a combination of synthetic ssRNA, dsRNA, *in vitro* translated reovirus products, and complemented with a helper virus of different serotype (Roner, M.R., et al., *Virology*, 179, 845-852 (1990)). The resulting virus was discriminated from the helper virus by plaque assay. However, in this system the use of a helper virus was necessary. In contrast, the presently described reverse genetics system of IBDV does not require a helper virus or other viral proteins. Transfection of cells with plus-sense RNAs of both segments was sufficient to generate infectious virus (IBDV). The fate of the additional one or four nucleotides, respectively, transcribed at the 3'-end of segment A was not determined. However, this did not prevent the replication of the viral dsRNA. Similar effects were observed for plus-stranded RNA viruses by different investigators (Boyer, J.C., et al., *Virology*, 198, 415-426 (1994)).

Transfection of plus-sense RNAs of both segments into the same cell was necessary for the successful recovery of IBDV. Transfected RNAs of both segments had to be translated by the cellular translation machinery. The polyprotein of segment A was presumably processed into VP2, VP3 and VP4 proteins which form the viral capsid. The translated protein VP1 of segment B probably acted as a RNA-dependent RNA polymerase and transcribed minus-strands from synthetic plus-strands of both segments, and the reaction products formed dsRNA. Recently, Dobos reported that *in vitro* transcription by the virion RNA-dependent RNA polymerase of infectious pancreatic necrosis virus (IPNV), a prototype virus of the *Bimaviridae* family, is primed by VP1 and then proceeds via an asymmetric, semiconservative, strand-displacement mechanism to synthesize only plus strands during replication of the viral genome (Dobos, P., *Virology*, 208, 10-25 (1995)). The present system shows that synthesis of minus-strands proceeds on the plus-strands. Whether the resulting transcribed minus-strand RNA serves as a template for the transcription of plus-strands or not remains the subject of further investigation.

To prove that the infectious IBDV contained in the supernatants of transfected cells was indeed derived from the synthetic transcripts, an artificial chimera was generated containing segment A of a serotype II strain and segment B of a serotype I strain. Sequence analysis verified this genome combination. The results also indicate that the terminal sequence motifs described by Mundt and Müller are probably responsible for replication, sorting and packaging of the viral genome (Mundt, E. et al., *Virology*, 209, 10-18 (1995)). Presence of serotype-specific terminal sequences obviously does not prevent proper replication of serotype II A segment by the action of the RNA-dependent RNA polymerase VP1 of the serotype I segment B. The ability to create recombinant viruses will greatly help in analyzing the precise function of serotype-specific and serotype-common terminal sequences.

The recovery of infectious IBDV demonstrates that only the plus-strand RNAs of both segments are sufficient to initiate replication of dsRNA. Thus, the results are in agreement with the general features of reovirus and rotavirus replication where the plus-strand RNAs serve as a template for the synthesis of progeny minus-strands to yield dsRNA (Schonberg, M., et al., *Proc. Natl. Acad. Sci. Patton, J.T., Virus Res.*, 6, 217-233 (1986); Chen, D., et al., *J. Virol.*, 68, 7030-7039 (1994)). However, the semiconservative, strand displacement mechanisms proposed by Spies et al. and Dobos could not be excluded (Spies, U., et al., *Virus Res.*, 8, 127-140 (1987); Dobos, P., *Virology*, 208, 10-25 (1995)). The development of a reverse genetics system for IBDV will greatly facilitate future studies of gene expression, pathogenesis, and help in the design of new generations of live and inactivated IBDV vaccines.

As used in the present application, the term "synthetic" as applied to nucleic acids indicates that it is a man made nucleic acid in contrast to a naturally occurring nucleic acid. The term implies no limitation as to the method of manufacture, which can be chemical or biological as long as the method of manufacture involves the intervention of man.

The term "cDNA" is intended to encompass any cDNA containing segments A and B and the 5' and 3' noncoding regions of segments A and B.

The term "infectious" as applied to viruses indicates that the virus has the ability to reproduce. The virus can be pathogenic or nonpathogenic and still be infectious.

5 The present invention provides a system for the generation of infectious bursal disease virus using synthetic RNA transcripts. This system can be used to study the regulation of viral gene expression, pathogenesis, and for the design of a new generation of live and inactivated IBDV vaccines.

10 The present invention provides a recombinant vector containing at least one copy of the cDNA according to the present invention. The recombinant vector may also comprise other necessary sequences such as expression control sequences, markers, amplifying genes, signal sequences, promoters, and the like, as is known in the art. Useful vectors for this purpose are plasmids, and viruses such as baculoviruses, herpes virus (HVT) and pox viruses, e.g., fowl pox virus, and the like.

15 Also provided herein is a host cell transformed with the recombinant vector of the present invention or a host cell transfected with the synthetic RNA of the present invention. The host cell may be a eukaryotic or a prokaryotic host cell. Suitable examples are *E. coli*, insect cell lines such as Sf-9, chicken embryo fibroblast (CEF) cells, chicken embryo kidney (CEK) cells, African green monkey Vero cells and the like.

20 Also part of this invention is an IBDV poultry vaccine comprising a poultry protecting amount of a recombinantly produced virus or portion of a virus, wherein the virus is inactivated or modified such that it is no longer virulent.

25 The virus can be inactivated by chemical or physical means. Chemical inactivation can be achieved by treating the virus with, for example, enzymes, formaldehyde, β -propiolactone, ethylene-imine or a derivative thereof, an organic solvent (e.g. halogenated hydrocarbon) and/or a detergent. If necessary, the inactivating substance can be neutralized after the virus has been inactivated. Physical inactivation can be carried out by subjecting the viruses to radiation such as UV light, X-radiation, or γ -radiation.

The virus can be attenuated by known methods including serial passage, deleting sequences of nucleic acids and site directed mutagenesis either before or after production of the infectious virus to produce a virus which retains sufficient antigenicity but which has reduced virulence.

5 Physiologically acceptable carriers for vaccination of poultry are known in the art and need not be further described herein. In addition to being physiologically acceptable to the poultry the carrier must not interfere with the immunological response elicited by the vaccine and/or with the expression of its polypeptide product.

10 Other additives, such as adjuvants and stabilizers, among others, may also be contained in the vaccine in amounts known in the art. Preferably, adjuvants such as aluminum hydroxide, aluminum phosphate, plant and animal oils, and the like, are administered with the vaccine in amounts sufficient to enhance the immune response to the IBDV. The amount of
15 adjuvant added to the vaccine will vary depending on the nature of the adjuvant, generally ranging from about 0.1 to about 100 times the weight of the IBDV, preferably from about 1 to about 10 times the weight of the IBDV.

20 The vaccine of the present invention may also contain various stabilizers. Any suitable stabilizer can be used including carbohydrates such as sorbitol, mannitol, starch, sucrose, dextrin, or glucose; proteins such as albumin or casein; and buffers such as alkaline metal phosphate and the like. A stabilizer is particularly advantageous when a dry vaccine preparation is prepared by lyophilization.

25 The vaccine can be administered by any suitable known method of inoculating poultry including nasally, ophthalmically, by injection, in drinking water, in the feed, by exposure, and the like. Preferably, the vaccine is administered by mass administration techniques such as by placing the vaccine in drinking water or by spraying the animals' environment. When administered by injection, the vaccines are preferably administered
30 parenterally. Parenteral administration as used herein means administration by intravenous, subcutaneous, intramuscular, or intraperitoneal injection.

The vaccine of the present invention is administered to poultry to prevent IBD anytime before or after hatching. Preferably, the vaccine is administered prior to the time of birth and after the animal is about 6 weeks of age. Poultry is defined to include but not be limited to chickens, roosters, 5 hens, broilers, roasters, breeders, layers, turkeys and ducks.

The vaccine may be provided in a sterile container in unit form or in other amounts. It is preferably stored frozen, below -20°C, and more preferably below -70°C. It is thawed prior to use, and may be refrozen immediately thereafter. For administration to poultry the recombinantly 10 produced virus may be suspended in a carrier in an amount of about 10⁴ to 10⁷ pfu/ml, and more preferably about 10⁵ to 10⁶ pfu/ml in a carrier such as a saline solution. The inactivated vaccine may contain the antigenic equivalent of 10⁴ to 10⁷ pfu/ml suspended in a carrier. Other carriers may also be utilized as is known in the art. Examples of pharmaceutically 15 acceptable carriers are diluents and inert pharmaceutical carriers known in the art. Preferably, the carrier or diluent is one compatible with the administration of the vaccine by mass administration techniques. However, the carrier or diluent may also be compatible with other administration methods such as injection, eye drops, nose drops, and the like.

20 The invention also can be used to produce combination vaccines with the IBDV material. The IBDV material can be combined with antigen material of Newcastle Disease Virus Infectious Bronchitis virus, Reo virus, Adeno virus and/or the Marek virus.

25 The foregoing embodiments of the present invention are further described in the following Examples. However, the present invention is not limited by the Examples, and variations will be apparent to those skilled in the art without departing from the scope of the present invention.

Brief Description of the Drawings

Figure 1 is a schematic diagram of cDNA constructs used for synthesis 30 of plus-sense ssRNAs of IBDV with T7 RNA polymerase. Construct pUC19FLAD78 contains the cDNA of segment A of IBDV strain D78 and the recombinant plasmid pUC18FLA23 contains the full-length cDNA of segment

A of IBDV strain 23/82. Segment A of IBDV encodes the polyprotein (VP2-VP4-VP3), and the recently identified VP5 protein. Plasmid pUC18FLBP2 contains the cDNA of segment B of strain P2 which encodes the RNA-dependent RNA polymerase (VP1). Virus specific sequences are underlined and the T7 promoter sequences are italicized. Restriction sites are shown in boldface and identified. The cleavage sites of the linearized plasmids are shown by vertical arrows and the transcription directions are marked by horizontal arrows.

Figure 2 shows an agarose gel analysis of the transcription reaction products that were used for transfection of Vero cells. Synthetic RNAs transcribed *in vitro* using T7 RNA polymerase and linearized plasmids pUC19FLAD78 (lanes 2, 4 and 6) containing the cDNA of segment A of IBDV strain D78, and pUC18FLBP2 (lanes 1, 3 and 5) containing the cDNA of segment B of strain P2, respectively. After transcription, the reaction mixtures were either treated with DNase (lanes 1 and 2), RNase (lanes 3 and 4) or left untreated (lanes 5 and 6). Two µl of the reaction products were analyzed on 1% agarose gel. Lambda DNA, digested with *Hind* III/*EcoR* I, was used as markers (lane M).

Figure 3 shows a comparison of nucleotide sequences of cloned RT-PCR fragments from segments A and B of the chimeric IBDV strain 23A/P2B (bold-typed) with known sequences of segments A and B of serotype II strain 23/82 and serotype I strain P2, respectively. Nucleotide identities are marked by a colon.

Figure 4 shows the DNA sequence of pUC18FLA23.

Figure 5 shows the DNA sequence of pUC19FLAD78.

Figure 6 shows the DNA sequence of pUC18FLBP2.

EXAMPLES

Viruses and Cells. Two serotype I strains of IBDV, the attenuated P2 strain from Germany and the vaccine strain D78 (Intervet International), and one serotype II strain, the apathogenic 23/82 strain, were propagated in chicken embryo cells (CEC) and purified (Mundt, E. et al., *Virology*, 209, 10-18 (1995); Vakharia, V.N., et al., *Virus Res.*, 31, 265-273 (1994)). Vero cells

were grown in M199 medium supplemented with 5% fetal calf serum (FCS) and used for transfection experiments. Further propagation of the recovered virus and immunofluorescence studies were carried out in Vero cells (Mundt, E., et al., *J. Gen. Virol.*, 76, 437-443, (1995)). For plaque assay, monolayers of secondary CEC were prepared and used (Müller, H., et al., *Virus Res.*, 4, 297-309 (1986)).

Construction of Full-Length cDNA Clones of IBDV genome. Full-length cDNA clones of IBDV segments A and B were independently prepared. The cDNA clones containing the entire coding region of the RNA segment A of strain D78 were prepared using standard cloning procedures and methods (Vakharia, V.N., et al., *Virus Res.*, 31, 265-273 (1994)). By comparing the D78 terminal sequences with recently published terminal sequences of other IBDV strains (Mundt, E. et al., *Virology*, 209, 10-18 (1995)), it was observed that D78 cDNA clones lacked the conserved first 17 and last 10 nucleotides at the 5'- and 3'-ends, respectively. Therefore, to construct a full-length cDNA clone of segment A, two primer pairs (A5'-D78, A5-IPD78 and A3'-IPD78) were synthesized and used for PCR amplification (Table 1). The DNA segments were amplified according to the protocol of the supplier (New England Biolabs) using "Deep Vent Polymerase" (high fidelity thermophilic DNA polymerase). Amplified fragments were cloned into the *EcoR* I site of a pCRII vector (Invitrogen Corp.) to obtain plasmids pCRD78A5' and pCRD78A3', respectively. Each plasmid was digested with *EcoR* I and *Sal* I and the resultant fragments were ligated into *EcoR* I digested pUC19 to obtain plasmid pUC19FLAD78 (SEQ ID NOS:27 AND 29) which now contains a full-length cDNA copy of segment A encoding all the structural proteins (VP2, VP4 and VP3, SEQ ID NO:30) as well as the non-structural VP5 protein (SEQ ID NO:28) (Fig. 1).

Two primer pairs (A5'-23, A5IP23 and A3'-23, A3-IP23; see Table 1) were used for reverse transcription (RT) of viral genomic dsRNA of strain 23/82 using "SuperScript RT II" (RNA directed DNA polymerase with reduced RNase H activity, GIBCO/BRL). The RT reaction products were purified by phenol/chloroform extraction and ethanol precipitation. To obtain two cDNA

fragments bounded by primer pairs A5'-23, A5-IP23 and A3'-23, A3-IP23, respectively, RT reaction products were amplified by PCR using "Deep Vent polymerase". Both RT and PCR were carried out according to the supplier's protocol. Resulting PCR fragments were blunt-end ligated into *Sma* I cleaved pUC18 vector to obtain pUC23A5' and pUC23A3'. The 3'-end of segment A contained in plasmid pUC23A3' was ligated into the *Hind* III-*Bst*B I cleaved plasmid pUC23A5' to establish the full-length cDNA of segment A of strain 23/82. The resulting plasmid was termed pUC18FLA23 (SEQ ID NOS: 31 AND 33)(Fig. 1) and encodes structural proteins VP2, VP3 and VP4 (SEQ ID NO: 32) and non-structural protein VP5 (SEQ ID NO: 34)

To obtain cDNA clones of segment B of P2 strain, two primer pairs (B5'-P2, B5-IPP2 and B3'-P2, B3-IPP2) were designed according to the published sequences and used for RT-PCR amplification (see Table 1). Using genomic dsRNA as template, cDNA fragments were synthesized and amplified according to the supplier's protocol (Perkin-Elmer Cetus). Amplified fragments were blunt-end ligated into *Sma* I cleaved pBS vector (Stratagene) to obtain clones pBSP2B5' and pBSP2B3'. To construct a full-length clone of segment B, the 5'-end fragment of plasmid pBSP2B5' was first subcloned between *Eco*R I and *Pst* I sites of pUC18 vector to obtain pUCP2B5'. Then the 3'-end fragment of plasmid pBSP2B3' was inserted between the unique *Bgl* II and *Pst* I sites of plasmid pUCP2B5' to obtain a full-length plasmid pUC18FLBP2 (SEQ ID NO:25) which encodes the VP1 protein (SEQ ID NO: 26) (Fig. 1). Plasmids pUC18FLBP2, pUC18FLA23 and pUC19FLAD78 were completely sequenced by using the "Sequenase" DNA sequencing system (U.S. Biochem.), and the sequence data were analyzed using either "DNASIS" (Pharmacia) or "PC/Gene" (Intelligenetics) software. The integrity of the full-length constructs was tested by *in vitro* transcription and translation coupled reticulocyte lysate system using T7 RNA polymerase (Promega).

Transcription and Transfection of Synthetic RNAs. Plasmids pUC19FLAD78, pUC18FLA23 and pUC18FLBP2 were digested with *Bsr*G I, *Nsi* I and *Pst* I enzymes (see Fig. 1), respectively, and used as templates for *in vitro* transcription with T7 RNA polymerase (Promega). Briefly, restriction

enzyme cleavage assays were adjusted to 0.5% SDS and incubated with proteinase K (0.5 mg/ml) for 1 hour at 37°C. The linearized DNA templates (~3 µg) were recovered after ethanol precipitation, and were added separately to a transcription reaction mixture (50 µl) containing 40 mM Tris-HCl (pH 7.9),
5 10 mM NaCl, 6 mM MgCl₂, 2 mM spermidine, 0.5 mM ATP, CTP and UTP each, 0.1 mM GTP, 0.25 mM cap analog [m7G(5') PPP(5') G], 120 units of "RNasin" (ribonuclease inhibitor), 150 units T7 RNA polymerase (Promega), and incubated at 37°C for 1 hour. Synthetic RNA transcripts were purified by phenol/chloroform extraction and ethanol precipitation. As controls, the
10 transcription products were treated with either DNase or RNase (Promega) before the purification step.

Vero cells were grown to 80% confluence in 60 mm dishes and washed once with phosphate-buffered saline (PBS). Three ml of "OPTI-MEM I" (reduced serum medium containing HEPES buffer, sodium bicarbonate, hypoxanthine, thymidine, sodium pyruvate, L-glutamine, trace elements, growth factors and phenol red; from GIBCO/BRL) were added to the monolayers, and the cells were incubated at 37°C for 1 hour in a CO₂ incubator. Simultaneously, 0.15 ml of "OPTI-MEM I" was incubated with 1.25 µg of "Lipofectin" reagent (N-[1-(2,3-dioleyloxy)propyl]-N,N,N-trimethylammonium chloride and dioleoylphosphatidylethanolamine, GIBCO/BRL) for 45 min. in a polystyrene tube at room temperature. Synthetic RNA transcripts of both segments, resuspended in 0.15 ml of diethyl pyrocarbonate-treated water, were added to the OPTI-MEM-Lipofectin-mixture, mixed gently, and incubated on ice for 5 min. After removing the
15 "OPTI-MEM" from the monolayers in 60 mm dishes and replacing with fresh 1.5 ml of "OPTI-MEM", the nucleic acid containing mixture was added drop-wise to the Vero cells and swirled gently. After 2 hours of incubation at 37°C, the mixture was replaced with M199 medium [CaCl₂ (anhydrous), Fe(NO₃)₃ 9H₂O, KCl, MgSO₄ (anhydrous), NaCl, NaH₂PO₄H₂O, NaHCO₃, L-Alanine, L-
20 Arginine HCl, L-Aspartic acid, L-Cysteine HCl H₂O, L-Cysteine 2HCl, L-Glutamic acid, L-Glutamine, Glycine, L-Histidine HCL H₂O, L-Hydroxyproline, L-Isoleucine, L-Leucine, L-Lysine HCl, L-Methionine, L-Phenylalanine, L-
25
25
30

Proline, L-Serine, L-Threonine, L-Tryptophan, L-Tyrosine 2Na 2H₂O, L-Valine, Alpha tocopherol PO₄ Na₂, Ascorbic Acid, Biotin, Calciferol, D-Calcium pantothenate, Choline chloride, Folic acid, L-Inositol, Menandione NaHSO₃ 3H₂O, Niacin, Nicotinamide, Para-aminobenzoic acid, Pyridoxine HCl, 5 Riboflavin, Thiamine HCl, Vitamin A Acetate, Adenine SO₄, Adenylic Acid, ATP, Na₂, Cholesterol, 2-Deoxy-D-Ribose, D-Glucose, Glutathione, Guanine HCl, Hypoxanthine Na, Phenol Red Na, Ribose, Sodium Acetate (anhydrous), Thymine, Tween 80, Uracil, and Xanthine Na; from Mediatech, Inc.] containing 5% FCS (without rinsing cells) and the cells were further incubated at 37°C 10 for desired time intervals.

Identification of Generated IBDV. CEC were infected with filtered (0.2 µm) supernatant from Vero cells transfected with transcripts of pUC18FLA23 and pUC18FLP2B. 16 hours post-infection, the whole cell nucleic acids were isolated (Mundt, E. et al., *Virology*, 209, 10-18 (1995)). 15 Primers were designed according to the published sequences and RT-PCR fragments were amplified, cloned and sequenced (Mundt, E. et al., *Virology*, 209, 10-18 (1995)). Sequence data were analyzed by using "DNASIS" software.

20 **Immunofluorescence.** Vero cells, grown on cover slips to 80% confluence, were infected with the supernatants derived from transfected Vero cells (after freeze-thawing) and incubated at 37°C for two days. The cells were then washed, fixed with acetone and treated with polyclonal rabbit anti-IBDV serum. After washing, the cells were treated with fluorescein 25 labeled goat-anti-rabbit antibody (Kirkegaard & Perry Lab.) and examined by fluorescence microscope.

30 **Plaque Assay.** Monolayers of secondary CEC, grown in 60 mm dishes, were inoculated with the supernatants derived from transfected Vero cells. After 1 hour of infection, the cells were washed once with PBS and overlayed with 0.8% Agar noble (Difco) containing 10% tryptose phosphate broth, 2% FCS, 0.112% NaHCO₃, 10³ units penicillin, 10³ µg/ml streptomycin, 0.25 µg/ml fungizone, 0.005% neutral red, 0.0015% phenol red. The cells

were incubated at 37°C for 2 to 3 days until plaques could be observed and counted (Müller, H., et al., *Virus Res.*, 4, 297-309 (1986)).

Construction of Full-Length cDNA clones of IBDV Genome. To develop a reverse genetics system for the dsRNA virus IBDV, two independent cDNA clones were constructed that contain segment A of strain D78 and segment B of strain P2 (Fig. 1). Each plasmid encoded either the precursor of structural proteins (VP2, VP4, VP3) and VP5 or only VP1 protein (RNA-dependent RNA polymerase). Plasmid pUC18FLBP2 upon digestion with *Pst* I and transcription *in vitro* by T7 RNA polymerase, would yield RNA containing the correct 5'- and 3'-ends. Whereas, upon digestion with *Bsr*G I and transcription, plasmid pUC19FLAD78 would yield RNA containing the correct 5'-end but with additional four nucleotides at the 3'end. Coupled transcription and translation of the above plasmids in a rabbit reticulocyte system yielded protein products that were correctly processed and comigrated with the marker IBDV proteins after fractionating on SDS-polyacrylamide gel and autoradiography (data not shown).

Transcription, Transfection and Generation of Infectious Virus.

Plus-sense transcripts of IBDV segment A and B were synthesized separately *in vitro* with T7 RNA polymerase using linearized full-length cDNA plasmids as templates (see Fig. 2). Although two species of RNA transcripts were observed for segment B on a neutral gel (lanes 1 and 5), fractionation of these samples on a denaturing gel yielded only one transcript-specific band (data not shown). In order to show that plus-sense RNA transcripts of both segments are needed for the generation of infectious virus, the transcription mixtures were incubated with different nucleases, as shown in Fig. 2. Synthetic RNAs recovered after treating the transcription products with DNase (lanes 1+2), RNase (lanes 3+4) or without treatment (lanes 5+6), were used for the transfection of Vero cells. As mock control, Lipofectin alone was used. Five days post-transfection, cytopathic effect (CPE) was only visible in Vero cells transfected with combined transcripts of untreated or DNase-treated transcription products, but not with RNase-treated transcription mixtures or

mock-transfected control. In addition, no CPE was detected when Vero cells were transfected with RNA of only segment A or B (data not shown). These results demonstrate that replication of IBDV ensued after transfection of Vero cells with plus-sense ssRNAs of both segments of IBDV. To verify that the agent causing the CPE in Vero cells was indeed IBDV, transfected Vero cells were freeze-thawed, and supernatants were clarified by centrifugation, and used to infect CEC or Vero cells. CEC infected with the supernatants derived from Vero transfected cells of untreated or DNase-treated transcription mixtures produced CPE in one day post-inoculation (Table 2). However, no CPE could be detected even after five days in CEC, with the supernatants from transfected Vero cells of RNase-treated transcription mixtures, untreated segment A or B transcription mixtures and mock-transfected Vero cells. Similarly, when Vero cells on cover slips were infected with the same supernatants as described above and examined by immunofluorescence staining after 2 days, only supernatants derived from transfected Vero cells of untreated or DNase-treated transcription mixtures gave positive immunofluorescence signal (Table 2).

Recovery of Transfected Virus. To determine the time point for the recovery of infectious virus, Vero cells were transfected with combined RNA transcripts of segments A and B. At 4, 8, 16, 24, 36 and 48 hours post-transfection, the supernatants were examined for the presence of transfected virus by infectivity and plaque assays, as shown in Table 3. Our results indicate that the virus could be recovered as early as 36 hours after transfection. Virus titer was 2.3×10^2 pfu/ml which appear to drop for samples obtained later than 48 hours after transfection.

Generation of a Chimeric Virus. To prove that plus-sense ssRNA of both segments of IBDV are sufficient for recovery of infectious virus, a chimeric IBDV was generated. Plasmid pUC18FLA23 containing a full-length sequence of segment A of serotype II strain was linearized by *Nsi* I digestion and ssRNA was synthesized *in vitro* using T7 RNA polymerase. The ssRNA transcript specifies the correct 5'-end but contains one additional residue at the 3'-end (Fig. 1). Vero cells were transfected with ssRNA of segment A of

serotype II strain 23/82 and ssRNA of segment B of serotype I strain P2. Five days after transfection when CPE was evident, the supernatant was clarified (after freeze-thawing) and used to infect CEC. After a second passage in CEC, genomic RNA of the virus was analyzed by RT-PCR and sequencing of the PCR products. Primers for segment A were deigned to specifically amplify only segment A sequences derived from the serotype II strain. Primer for segment B bound to sequences of both serotypes. The amplified fragments were cloned and sequenced. The obtained segment A sequences showed a perfect match with known segment A sequences of serotype II strain 23/82, whereas segment B sequence exhibited complete homology to published segment B sequences of serotype I strain P2 (Fig. 3).

Table 1. Oligonucleotides Used for the Construction of Full Length cDNA Clones of IBDV Genomic Segments A and B.

Nucleotide Sequence	Orientation	Name	Nucleotide Number
TAATACGGACTCACTATA<u>GGATA</u>CCGATCGGCCGGAGTC	(+)	A5'-D78	1-31
AGAGAATTCTAA<u>TACGACTC</u>ACTATA<u>GGATA</u>CGATCGGTCTGAC	(+)	A5'-23	1-48
TGTACAGGG<u>GAACCCGCGAACGGATCCAATT</u>	(-)	A3'-D78	3237-3261
CGCGGAATT<u>CATGCATAGGGGACCCCCGGAACGGATC</u>	(-)	A3'-23	3242-3261
CGTCC<u>GACTACGGGATTCTGG</u>	(-)	A5-IPD78	1711-1730
CAGAGG<u>QAGTACTCCGGTCTTG</u>	(-)	A5-IP23	1971-1990
AGTC<u>GGACGGGATTCTTGCTT</u>	(+)	A3-IPD78	1723-1742
GAAGGG<u>GTGCGAGGGAC</u>	(+)	A3-IP23	1883-1900
AGAGAATTCTAA<u>TACGACTC</u>ACTATA<u>GGATA</u>CCGATGGGTCTGAC	(+)	B5'-P2	1-18
CGATCTGCT<u>GCAGGGCCCCCGCAGGGCGAACGG</u>	(-)	B3'-P2	2807-2827
CTTGAG<u>ACTCTCTCTACTCC</u>	(-)	B5-IPP2	1915-1938
ATACAG<u>CAAAGATCTCGGG</u>	(+)	B3-IPP2	1839-1857

18

Composition and location of the oligonucleotide primers used for cloning. T7 promoter sequences are marked with italic types, the virus specific sequences are underlined, and the restriction sites marked in boldface. Orientation of the virus specific sequence of the primer is shown for sense (+) and antisense (-). The positions where the primers bind (nucleotide number) are according to the published sequences of P2 strain (2).

Table 2. Generation of Infections IBDV From Synthetic RNAs of Segment A and B.

Material Transfected	CPE	Immunofluoroescence
ssRNA A+B, DNase-treated	+	+
ssRNA A+B, RNase-treated	-	-
ssRNA A+B, untreated	+	+
ssRNA A, untreated	-	-
ssRNA B, untreated	-	-
Lipofectin only	-	-

Vero cells were transfected with synthetic RNAs of segment A and B derived from transcription reactions that were either untreated or treated with DNase or RNase. After 5 days, the supernatants were collected, clarified by centrifugation, and analyzed for the presence of virus. The infectivity of the recovered virus was determined in CEC by the appearance of cytopathic effect (CPE) 1-2 days post-inoculation. The specificity of the recovered virus was determined by immunofluorescence staining of infected Vero cells with rabbit anti-IBDV serum.

Table 3. Recovery of Virus at Various Times Post-Transfection.

Time in hours post-transfection	CPE	Immunofluorescence	pfu/ml
4	-	-	0
8	-	-	0
16	-	-	0
24	-	-	0
36	+	+	2.3×10^2
48	+	+	6.0×10^1

Vero cells were transfected with synthetic RNAs of segment A and B as described. The infectivity and specificity of the recovered virus was detected by CPE in CEC and immunofluorescence staining in Vero cells, respectively. Monolayers of secondary CEC were used for plaque assay after inoculating the cells with the supernatants derived from transfected Vero cells. Approximate titer of the virus was calculated as plaque forming units per ml (pfu/ml).

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: VAKHARIA, Vikram N.
MUNDT, Egbert

(ii) TITLE OF INVENTION: A METHOD FOR GENERATING BIRNAVIRUS
FROM SYNTHETIC RNA TRANSCRIPTS

(iii) NUMBER OF SEQUENCES: 34

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: NIKAIDO, MARMELSTEIN, MURRAY & ORAM LLP
(B) STREET: 655 Fifteenth Street, N. W., Suite 330 -
G Street Lobby
(C) CITY: Washington
(D) STATE: DC
(E) COUNTRY: USA
(F) ZIP: 20005-5701

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: PatentIn Release #1.0, Version #1.30

(vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER: US
(B) FILING DATE:
(C) CLASSIFICATION:

(viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: KITTS, Monica C.
(B) REGISTRATION NUMBER: 36,105
(C) REFERENCE/DOCKET NUMBER: P8172-6002

(ix) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: 202/638-5000
(B) TELEFAX: 202/638-4810

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 46 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

22

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

GAATTCTGGCT TTAATACGAC TCACATAGG ATACGATCGG TCTGAC

46

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 41 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

AATTGGATCC GTTCGCGGGT CCCCTGTACA AAGCCGAATT C

41

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 36 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

CGGCGAATTC ATGCATAGGG GACCCGCGAA CGGATC

36

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 44 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

GTCAGACCGA TCGTATCCTA TAGTGAGTCG TATTAGAATT CTCT

44

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 33 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

TTGCATGCCT GCAGGGGGCC CCCGCAGGCG AAG

33

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 31 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

TCGTATCCTA TAGTGAGTCG TATTAGAATT C

31

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 120 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

GGAAGCCTGA GTGAGTTGAC TGACTACAGC TACAACGGGC TGATGTCAGC CACTGCGAAC

60

ATCAACGACA AGATCGGGAA CGTTCTAGTT GGAGAAGGGG TGACTGTTCT CAGTCTACCG

120

(2) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 120 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

GGAAGCCTGA GTGAGTTGAC TGACTACAGC TACAACGGGC TGATGTCAGC CACTGCGAAC 60

ATCAACGACA AGATCGGGAA CGTTCTAGTT GGAGAAGGGG TGACTGTTCT CAGTCTACC 119

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 120 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

GGAAGCCTGA GTGAACTGAC AGATGTTAGC TACAATGGGT TGATGTCTGC AACAGCCAAC 60

ATCAACGACA AAATTGGGAA CGTCCTAGTA GGGGAAGGGG TCACCGTCCT CAGCTTACCC 120

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 120 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

TTTTCAATAG TCCACAGGCG CGAACGAAGA TCTCAGCAGC GTTCGGCATA AAGCCTACTG 60

CTGGACAAGA CGTGGAAAGAA CTCTTGATCC CCAAAGTCTG GGTGCCACCT GAGGATCCGC 120

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 120 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

TTTTAACAG TCCACAGGCG CGAACGACGA TCTCAGCAGC GTTCGGCATA AAGCCTACTG 60
CTGGACAAGA CGTGGAAAGAA CTCTTGATCC CTAAAGTTG GGTGCCACCT GAGGATCCGC 120

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 120 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

TTTTAACAG TCCACAGGCG CGAACGACGA TCTCAGCAGC GTTCGGCATA AAGCCTACTG 60
CTGGACAAGA CGTGGAAAGAA CTCTTGATCC CTAAAGTTG GGTGCCACCT GAGGATCCGC 120

(2) INFORMATION FOR SEQ ID NO:13:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 48 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

TAATACGACT CACTATAGGA TACGATCGGT CTGACCCCGG GGGAGTCA 48

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 44 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

AGAGAATTCT AATACGACTC ACTATAGGAT ACGATCGGTC TGAC

44

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 30 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

TGTACAGGGG ACCCGCGAAC GGATCCAATT

30

(2) INFORMATION FOR SEQ ID NO:16:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 36 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

CGGCGAATTC ATGCATAGGG GACCCGCGAA CGGATC

36

(2) INFORMATION FOR SEQ ID NO:17:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

CGTCGACTAC GGGATTCTGG

20

(2) INFORMATION FOR SEQ ID NO:18:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs

27

- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

CAGAGGCAGT ACTCCGTCTG

20

(2) INFORMATION FOR SEQ ID NO:19:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

AGTCGACGGG ATTCTTGCTT

20

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 18 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

GAAGGTGTGC GAGAGGAC

18

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 44 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

AGAGAATTCT AATACGACTC ACTATAGGAT ACGATGGTC TGAC

44

(2) INFORMATION FOR SEQ ID NO:22:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 33 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

CGATCTGCTG CAGGGGGCCC CCGCAGGCGA AGG

33

(2) INFORMATION FOR SEQ ID NO:23:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

CTTGAGACTC TTGTTCTCTA CTCC

24

(2) INFORMATION FOR SEQ ID NO:24:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 19 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

ATACAGCAAA GATCTCGGG

19

(2) INFORMATION FOR SEQ ID NO:25:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2827 base pairs
- (B) TYPE: nucleic acid

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 112..2745

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

CTC AAG CAG ATG ATT TAC CTG TTT CTC CAG GTT CCA GAG GCC AAC GAG Leu Lys Gln Met Ile Tyr Leu Phe Leu Gln Val Pro Glu Ala Asn Glu 135 140 145	549
GGC CTA AAG GAT GAA GTA ACC CTC TTG ACC CAA AAC ATA AGG GAC AAG Gly Leu Lys Asp Glu Val Thr Leu Leu Thr Gln Asn Ile Arg Asp Lys 150 155 160	597
GCC TAT GGA AGT GGG ACC TAC ATG GGA CAA GCA AAT CGA CTT GTG GCC Ala Tyr Gly Ser Gly Thr Tyr Met Gly Gln Ala Asn Arg Leu Val Ala 165 170 175	645
ATG AAG GAG GTC GCC ACT GGA AGA AAC CCA AAC AAG GAT CCT CTA AAG Met Lys Glu Val Ala Thr Gly Arg Asn Pro Asn Lys Asp Pro Leu Lys 180 185 190	693
CTT GGG TAC ACT TTT GAG AGC ATC GCG CAG CTA CTT GAC ATC ACA CTA Leu Gly Tyr Thr Phe Glu Ser Ile Ala Gln Leu Leu Asp Ile Thr Leu 195 200 205 210	741
CCG GTA GGC CCA CCC GGT GAG GAT GAC AAG CCC TGG GTG CCA CTC ACA Pro Val Gly Pro Pro Gly Glu Asp Asp Lys Pro Trp Val Pro Leu Thr 215 220 225	789
AGA GTG CCG TCA CGG ATG TTG GTG CTG ACG GGA GAC GTA GAT GGC GAC Arg Val Pro Ser Arg Met Leu Val Leu Thr Gly Asp Val Asp Gly Asp 230 235 240	837
TTT GAG GTT GAA GAT TAC CTT CCC AAA ATC AAC CTC AAG TCA TCA AGT Phe Glu Val Glu Asp Tyr Leu Pro Lys Ile Asn Leu Lys Ser Ser Ser 245 250 255	885
GGA CTA CCA TAT GTA GGT CGC ACC AAA GGA GAG ACA ATT GGC GAG ATG Gly Leu Pro Tyr Val Gly Arg Thr Lys Gly Glu Thr Ile Gly Glu Met 260 265 270	933
ATA GCT ATC TCA AAC CAG TTT CTC AGA GAG CTA TCA ACA CTG TTG AAG Ile Ala Ile Ser Asn Gln Phe Leu Arg Glu Leu Ser Thr Leu Leu Lys 275 280 285 290	981
CAA GGT GCA GGG ACA AAG GGG TCA AAC AAG AAG CTA CTC AGC ATG Gln Gly Ala Gly Thr Lys Gly Ser Asn Lys Lys Lys Leu Leu Ser Met 295 300 305	1029
TTA AGT GAC TAT TGG TAC TTA TCA TGC GGG CTT TTG TTT CCA AAG GCT Leu Ser Asp Tyr Trp Tyr Leu Ser Cys Gly Leu Leu Phe Pro Lys Ala 310 315 320	1077
GAA AGG TAC GAC AAA AGT ACA TGG CTC ACC AAG ACC CGG AAC ATA TGG Glu Arg Tyr Asp Lys Ser Thr Trp Leu Thr Lys Thr Arg Asn Ile Trp 325 330 335	1125

TCA GCT CCA TCC CCA ACA CAC CTC ATG ATC TCT ATG ATC ACC TGG CCC Ser Ala Pro Ser Pro Thr His Leu Met Ile Ser Met Ile Thr Trp Pro 340	345	350	1173
GTG ATG TCC AAC AGC CCA AAT AAC GTG TTG AAC ATT GAA GGG TGT CCA Val Met Ser Asn Ser Pro Asn Asn Val Leu Asn Ile Glu Gly Cys Pro 355	360	365	370
TCA CTC TAC AAA TTC AAC CCG TTC AGA GGA GGG TTG AAC AGG ATC GTC Ser Leu Tyr Lys Phe Asn Pro Phe Arg Gly Gly Leu Asn Arg Ile Val 375	380	385	1269
GAG TGG ATA TTG GCC CCG GAA GAA CCC AAG GCT CTT GTA TAT GCG GAC Glu Trp Ile Leu Ala Pro Glu Glu Pro Lys Ala Leu Val Tyr Ala Asp 390	395	400	1317
AAC ATA TAC ATT GTC CAC TCA AAC ACG TGG TAC TCA ATT GAC CTA GAG Asn Ile Tyr Ile Val His Ser Asn Thr Trp Tyr Ser Ile Asp Leu Glu 405	410	415	1365
AAG GGT GAG GCA AAC TGC ACT CGC CAA CAC ATG CAA GCC GCA ATG TAC Lys Gly Glu Ala Asn Cys Thr Arg Gln His Met Gln Ala Ala Met Tyr 420	425	430	1413
TAC ATA CTC ACC AGA GGG TGG TCA GAC AAC GGC GAC CCA ATG TTC AAT Tyr Ile Leu Thr Arg Gly Trp Ser Asp Asn Gly Asp Pro Met Phe Asn 435	440	445	450
CAA ACA TGG GCC ACC TTT GCC ATG AAC ATT GCC CCT GCT CTA GTG GTG Gln Thr Trp Ala Thr Phe Ala Met Asn Ile Ala Pro Ala Leu Val Val 455	460	465	1509
GAC TCA TCG TGC CTG ATA ATG AAC CTG CAA ATT AAG ACC TAT GGT CAA Asp Ser Ser Cys Leu Ile Met Asn Leu Gln Ile Lys Thr Tyr Gly Gln 470	475	480	1557
GGC AGC GGG AAT GCA GCC ACG TTC ATC AAC AAC CAC CTC TTG AGC ACA Gly Ser Gly Asn Ala Ala Thr Phe Ile Asn Asn His Leu Leu Ser Thr 485	490	495	1605
CTA GTG CTT GAC CAG TGG AAC CTG ATG AGA CAG CCC AGA CCA GAC AGC Leu Val Leu Asp Gln Trp Asn Leu Met Arg Gln Pro Arg Pro Asp Ser 500	505	510	1653
GAG GAG TTC AAA TCA ATT GAG GAC AAG CTA GGT ATC AAC TTT AAG ATT Glu Glu Phe Lys Ser Ile Glu Asp Lys Leu Gly Ile Asn Phe Lys Ile 515	520	525	530
GAG AGG TCC ATT GAT GAT ATC AGG GGC AAG CTG AGA CAG CTT GTC CTC Glu Arg Ser Ile Asp Asp Ile Arg Gly Lys Leu Arg Gln Leu Val Leu 535	540	545	1749

CTT GCA CAA CCA GGG TAC CTG AGT GGG GGG GTT GAA CCA GAA CAA TCC Leu Ala Gln Pro Gly Tyr Leu Ser Gly Gly Val Glu Pro Glu Gln Ser 550 555 560	1797
AGC CCA ACT GTT GAG CTT GAC CTA CTA GGG TGG TCA GCT ACA TAC AGC Ser Pro Thr Val Glu Leu Asp Leu Leu Gly Trp Ser Ala Thr Tyr Ser 565 570 575	1845
AAA GAT CTC GGG ATC TAT GTG CCG GTG CTT GAC AAG GAA CGC CTA TTT Lys Asp Leu Gly Ile Tyr Val Pro Val Leu Asp Lys Glu Arg Leu Phe 580 585 590	1893
TGT TCT GCT GCG TAT CCC AAG GGA GTA GAG AAC AAG AGT CTC AAG TCC Cys Ser Ala Ala Tyr Pro Lys Gly Val Glu Asn Lys Ser Leu Lys Ser 595 600 605 610	1941
AAA GTC GGG ATC GAG CAG GCA TAC AAG GTA GTC AGG TAT GAG GCG TTG Lys Val Gly Ile Glu Gln Ala Tyr Lys Val Val Arg Tyr Glu Ala Leu 615 620 625	1989
AGG TTG GTA GGT TGG AAC TAC CCA CTC CTG AAC AAA GCC TGC AAG Arg Leu Val Gly Gly Trp Asn Tyr Pro Leu Leu Asn Lys Ala Cys Lys 630 635 640	2037
AAT AAC GCA GGC GCC GCT CGG CGG CAT CTG GAG GCC AAG GGG TTC CCA Asn Asn Ala Gly Ala Ala Arg Arg His Leu Glu Ala Lys Gly Phe Pro 645 650 655	2085
CTC GAC GAG TTC CTA GCC GAG TGG TCT GAG CTG TCA GAG TTC GGT GAG Leu Asp Glu Phe Leu Ala Glu Trp Ser Glu Leu Ser Glu Phe Gly Glu 660 665 670	2133
GCC TTC GAA GGC TTC AAT ATC AAG CTG ACC GTA ACA TCT GAG AGC CTA Ala Phe Glu Gly Phe Asn Ile Lys Leu Thr Val Thr Ser Glu Ser Leu 675 680 685 690	2181
GCC GAA CTG AAC AAG CCA GTA CCC CCC AAG CCC CCA AAT GTC AAC AGA Ala Glu Leu Asn Lys Pro Val Pro Pro Lys Pro Pro Asn Val Asn Arg 695 700 705	2229
CCA GTC AAC ACT GGG GGA CTC AAG GCA GTC AGC AAC GCC CTC AAG ACC Pro Val Asn Thr Gly Gly Leu Lys Ala Val Ser Asn Ala Leu Lys Thr 710 715 720	2277
GGT CGG TAC AGG AAC GAA GCC GGA CTG AGT GGT CTC GTC CTT CTA GCC Gly Arg Tyr Arg Asn Glu Ala Gly Leu Ser Gly Leu Val Leu Leu Ala 725 730 735	2325
ACA GCA AGA AGC CGT CTG CAA GAT GCA GTT AAG GCC AAG GCA GAA GCC Thr Ala Arg Ser Arg Leu Gln Asp Ala Val Lys Ala Lys Ala Glu Ala 740 745 750	2373

GAG AAA CTC CAC AAG TCC AAG CCA GAC GAC CCC GAT GCA GAC TGG TTC	2421
Glu Lys Leu His Lys Ser Lys Pro Asp Asp Pro Asp Ala Asp Trp Phe	
755 760 765 770	
 GAA AGA TCA GAA ACT CTG TCA GAC CTT CTG GAG AAA GCC GAC ATC GCC	2469
Glu Arg Ser Glu Thr Leu Ser Asp Leu Leu Glu Lys Ala Asp Ile Ala	
775 780 785	
 AGC AAG GTC GCC CAC TCA GCA CTC GTG GAA ACA AGC GAC GCC CTT GAA	2517
Ser Lys Val Ala His Ser Ala Leu Val Glu Thr Ser Asp Ala Leu Glu	
790 795 800	
 GCA GTT CAG TCG ACT TCC GTG TAC ACC CCC AAG TAC CCA GAA GTC AAG	2565
Ala Val Gln Ser Thr Ser Val Tyr Thr Pro Lys Tyr Pro Glu Val Lys	
805 810 815	
 AAC CCA CAG ACC GCC TCC AAC CCC GTT GTT GGG CTC CAC CTG CCC GCC	2613
Asn Pro Gln Thr Ala Ser Asn Pro Val Val Gly Leu His Leu Pro Ala	
820 825 830	
 AAG AGA GCC ACC GGT GTC CAG GCC GCT CTT CTC GGA GCA GGA ACG AGC	2661
Lys Arg Ala Thr Gly Val Gln Ala Ala Leu Leu Gly Ala Gly Thr Ser	
835 840 845 850	
 AGA CCA ATG GGG ATG GAG GCC CCA ACA CGG TCC AAG AAC GCC GTG AAA	2709
Arg Pro Met Gly Met Glu Ala Pro Thr Arg Ser Lys Asn Ala Val Lys	
855 860 865	
 ATG GCC AAA CGG CGG CAA CGC CAA AAG GAG AGC CGC TAACAGCCAT	2755
Met Ala Lys Arg Arg Gln Arg Gln Lys Glu Ser Arg	
870 875	
 GATGGGAACC ACTCAAGAAG AGGACACTAA TCCCAGACCC CGTATCCCCG GCCTTCGCCT	2815
GCGGGGGCC CC	2827

(2) INFORMATION FOR SEQ ID NO:26:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 878 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

Met Ser Asp Ile Phe Asn Ser Pro Gln Ala Arg Ser Thr Ile Ser Ala	
1 5 10 15	
 Ala Phe Gly Ile Lys Pro Thr Ala Gly Gln Asp Val Glu Glu Leu Leu	

34

20

25

30

Ile Pro Lys Val Trp Val Pro Pro Glu Asp Pro Leu Ala Ser Pro Ser
 35 40 45

Arg Leu Ala Lys Phe Leu Arg Glu Asn Gly Tyr Lys Val Leu Gln Pro
 50 55 60

Arg Ser Leu Pro Glu Asn Glu Glu Tyr Glu Thr Asp Gln Ile Leu Pro
 65 70 75 80

Asp Leu Ala Trp Met Arg Gln Ile Glu Gly Ala Val Leu Lys Pro Thr
 85 90 95

Leu Ser Leu Pro Ile Gly Asp Gln Glu Tyr Phe Pro Lys Tyr Tyr Pro
 100 105 110

Thr His Arg Pro Ser Lys Glu Lys Pro Asn Ala Tyr Pro Pro Asp Ile
 115 120 125

Ala Leu Leu Lys Gln Met Ile Tyr Leu Phe Leu Gln Val Pro Glu Ala
 130 135 140

Asn Glu Gly Leu Lys Asp Glu Val Thr Leu Leu Thr Gln Asn Ile Arg
 145 150 155 160

Asp Lys Ala Tyr Gly Ser Gly Thr Tyr Met Gly Gln Ala Asn Arg Leu
 165 170 175

Val Ala Met Lys Glu Val Ala Thr Gly Arg Asn Pro Asn Lys Asp Pro
 180 185 190

Leu Lys Leu Gly Tyr Thr Phe Glu Ser Ile Ala Gln Leu Leu Asp Ile
 195 200 205

Thr Leu Pro Val Gly Pro Pro Gly Glu Asp Asp Lys Pro Trp Val Pro
 210 215 220

Leu Thr Arg Val Pro Ser Arg Met Leu Val Leu Thr Gly Asp Val Asp
 225 230 235 240

Gly Asp Phe Glu Val Glu Asp Tyr Leu Pro Lys Ile Asn Leu Lys Ser
 245 250 255

Ser Ser Gly Leu Pro Tyr Val Gly Arg Thr Lys Gly Glu Thr Ile Gly
 260 265 270

Glu Met Ile Ala Ile Ser Asn Gln Phe Leu Arg Glu Leu Ser Thr Leu
 275 280 285

Leu Lys Gln Gly Ala Gly Thr Lys Gly Ser Asn Lys Lys Lys Leu Leu

290	295	300
Ser Met Leu Ser Asp Tyr Trp Tyr Leu Ser Cys Gly Leu Leu Phe Pro		
305	310	315
320		
Lys Ala Glu Arg Tyr Asp Lys Ser Thr Trp Leu Thr Lys Thr Arg Asn		
325	330	335
Ile Trp Ser Ala Pro Ser Pro Thr His Leu Met Ile Ser Met Ile Thr		
340	345	350
Trp Pro Val Met Ser Asn Ser Pro Asn Asn Val Leu Asn Ile Glu Gly		
355	360	365
Cys Pro Ser Leu Tyr Lys Phe Asn Pro Phe Arg Gly Gly Leu Asn Arg		
370	375	380
Ile Val Glu Trp Ile Leu Ala Pro Glu Glu Pro Lys Ala Leu Val Tyr		
385	390	395
400		
Ala Asp Asn Ile Tyr Ile Val His Ser Asn Thr Trp Tyr Ser Ile Asp		
405	410	415
Leu Glu Lys Gly Glu Ala Asn Cys Thr Arg Gln His Met Gln Ala Ala		
420	425	430
Met Tyr Tyr Ile Leu Thr Arg Gly Trp Ser Asp Asn Gly Asp Pro Met		
435	440	445
Phe Asn Gln Thr Trp Ala Thr Phe Ala Met Asn Ile Ala Pro Ala Leu		
450	455	460
Val Val Asp Ser Ser Cys Leu Ile Met Asn Leu Gln Ile Lys Thr Tyr		
465	470	475
480		
Gly Gln Gly Ser Gly Asn Ala Ala Thr Phe Ile Asn Asn His Leu Leu		
485	490	495
Ser Thr Leu Val Leu Asp Gln Trp Asn Leu Met Arg Gln Pro Arg Pro		
500	505	510
Asp Ser Glu Glu Phe Lys Ser Ile Glu Asp Lys Leu Gly Ile Asn Phe		
515	520	525
Lys Ile Glu Arg Ser Ile Asp Asp Ile Arg Gly Lys Leu Arg Gln Leu		
530	535	540
Val Leu Leu Ala Gln Pro Gly Tyr Leu Ser Gly Gly Val Glu Pro Glu		
545	550	555
560		
Gln Ser Ser Pro Thr Val Glu Leu Asp Leu Leu Gly Trp Ser Ala Thr		

36

565

570

575

Tyr Ser Lys Asp Leu Gly Ile Tyr Val Pro Val Leu Asp Lys Glu Arg
580 585 590

Leu Phe Cys Ser Ala Ala Tyr Pro Lys Gly Val Glu Asn Lys Ser Leu
595 600 605

Lys Ser Lys Val Gly Ile Glu Gln Ala Tyr Lys Val Val Arg Tyr Glu
610 615 620

Ala Leu Arg Leu Val Gly Gly Trp Asn Tyr Pro Leu Leu Asn Lys Ala
625 630 635 640

Cys Lys Asn Asn Ala Gly Ala Ala Arg Arg His Leu Glu Ala Lys Gly
645 650 655

Phe Pro Leu Asp Glu Phe Leu Ala Glu Trp Ser Glu Leu Ser Glu Phe
660 665 670

Gly Glu Ala Phe Glu Gly Phe Asn Ile Lys Leu Thr Val Thr Ser Glu
675 680 685

Ser Leu Ala Glu Leu Asn Lys Pro Val Pro Pro Lys Pro Pro Asn Val
690 695 700

Asn Arg Pro Val Asn Thr Gly Gly Leu Lys Ala Val Ser Asn Ala Leu
705 710 715 720

Lys Thr Gly Arg Tyr Arg Asn Glu Ala Gly Leu Ser Gly Leu Val Leu
725 730 735

Leu Ala Thr Ala Arg Ser Arg Leu Gln Asp Ala Val Lys Ala Lys Ala
740 745 750

Glu Ala Glu Lys Leu His Lys Ser Lys Pro Asp Asp Pro Asp Ala Asp
755 760 765

Trp Phe Glu Arg Ser Glu Thr Leu Ser Asp Leu Leu Glu Lys Ala Asp
770 775 780

Ile Ala Ser Lys Val Ala His Ser Ala Leu Val Glu Thr Ser Asp Ala
785 790 795 800

Leu Glu Ala Val Gln Ser Thr Ser Val Tyr Thr Pro Lys Tyr Pro Glu
805 810 815

Val Lys Asn Pro Gln Thr Ala Ser Asn Pro Val Val Gly Leu His Leu
820 825 830

Pro Ala Lys Arg Ala Thr Gly Val Gln Ala Ala Leu Leu Gly Ala Gly

835

840

845

Thr Ser Arg Pro Met Gly Met Glu Ala Pro Thr Arg Ser Lys Asn Ala
 850 855 860

Val Lys Met Ala Lys Arg Arg Gln Arg Gln Lys Glu Ser Arg
 865 870 875

(2) INFORMATION FOR SEQ ID NO:27:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 3261 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 97..531

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

GGATACGATC GGTCTGACCC CGGGGGAGTC ACCCGGGGAC AGGCCGTCAA GGCCTTGTTC	60
CAGGATGGGA CTCCTCCTTC TACAACGCTA TCATTG ATG GTT AGT AGA GAT CAG	114
Met Val Ser Arg Asp Gln	
880	
ACA AAC GAT CGC AGC GAT GAC AAA CCT GCA AGA TCA AAC CCA ACA GAT	162
Thr Asn Asp Arg Ser Asp Asp Lys Pro Ala Arg Ser Asn Pro Thr Asp	
885 890 895 900	900
TGT TCC GTT CAT ACG GAG CCT TCT GAT GCC AAC AAC CGG ACC GGC GTC	210
Cys Ser Val His Thr Glu Pro Ser Asp Ala Asn Asn Arg Thr Gly Val	
905 910 915	
CAT TCC GGA CGA CAC CCT GGA GAA GCA CAC TCT CAG GTC AGA GAC CTC	258
His Ser Gly Arg His Pro Gly Glu Ala His Ser Gln Val Arg Asp Leu	
920 925 930	
GAC CTA CAA TTT GAC TGT GGG GGA CAC AGG GTC AGG GCT AAT TGT CTT	306
Asp Leu Gln Phe Asp Cys Gly His Arg Val Arg Ala Asn Cys Leu	
935 940 945	
TTT CCC TGG ATT CCC TGG CTC AAT TGT GGG TGC TCA CTA CAC ACT GCA	354
Phe Pro Trp Ile Pro Trp Leu Asn Cys Gly Cys Ser Leu His Thr Ala	
950 955 960	

GGG CAA TGG GAA CTA CAA GTT CGA TCA GAT GCT CCT GAC TGC CCA GAA Gly Gln Trp Glu Leu Gln Val Arg Ser Asp Ala Pro Asp Cys Pro Glu 965	970	975	980	402
CCT ACC GGC CAG TTA CAA CTA CTG CAG GCT AGT GAG TCG GAG TCT CAC Pro Thr Gly Gln Leu Gln Leu Gln Ala Ser Glu Ser Glu Ser His 985	990		995	450
AGT GAG GTC AAG CAC ACT TCC TGG TGG CGT TTA TGC ACT AAA CGG CAC Ser Glu Val Lys His Thr Ser Trp Trp Arg Leu Cys Thr Lys Arg His 1000	1005		1010	498
CAT AAA CGC CGT GAC CTT CCA AGG AAG CCT GAG TGAAGTGACA GATGTTAGCT His Lys Arg Arg Asp Leu Pro Arg Lys Pro Glu 1015	1020			551
ACAATGGGTT GATGTCTGCA ACAGCCAACA TCAACGACAA AATTGGGAAC GTCCTAGTAG GGGAAGGGGT CACCGTCCTC AGCTTACCCA CATCATATGA TCTTGGGTAT GTGAGGCTTG GTGACCCCCAT TCCCGCAATA GGGCTTGACC CAAAAATGGT AGCCACATGT GACAGCAGTG ACAGGCCAG AGTCTACACC ATAAC TGCA G CCGATGATTA CCAATTCTCA TCACAGTACC AACCAAGGTGG GGTAACAATC ACACTGTTCT CAGCCAACAT TGATGCCATC ACAAGCCTCA GCGTTGGGGG AGAGCTCGTG TTTCAAACAA GCGTCCACGG CCTTGTACTG GGCGCCACCA TCTACCTCAT AGGCTTGAT GGGACAACGG TAATCACCAAG GGCTGTGGCC GCAAACAATG GGCTGACGAC CGGCACCGAC AACCTTATGC CATTCAATCT TGTGATTCCA ACAAAACGAGA TAACCCAGCC AATCACATCC ATCAAACGG AGATAGTGAC CTCCAAAAGT GGTGGTCAGG CAGGGGATCA GATGTCTGG TCGGCAAGAG GGAGCCTAGC AGTGACGATC CATGGTGGCA ACTATCCAGG GGCCCTCCGT CCCGTCACGC TAGTGGCTA CGAAAGAGTG GCAACAGGAT CCGTCGTTAC GGTCGCTGGG GTGAGCAACT TCGAGCTGAT CCCAAATCCT GAACTAGCAA AGAACCTGGT TACAGAATAC GGCGATTG ACCCAGGAGC CATGAACATAC ACAAAATTGA TACTGAGTGA GAGGGACCGT CTTGGCATCA AGACCGTCTG GCCAACAAAGG GAGTACACTG ACTTTCGTGA ATACTTCATG GAGGTGGCCG ACCTCAACTC TCCCCTGAAG ATTGCAGGAG CATTCGGCTT CAAAGACATA ATCCGGGCCA TAAGGAGGAT AGCTGTGCCG GTGGTCTCCA CATTGTTCCC ACCTGCCGCT CCCCTAGCCC ATGCAATTGG GGAAGGTGTA GACTACCTGC TGGGCGATGA GGCACAGGCT GCTTCAGGAA CTGCTCGAGC CGCGTCAGGA AAAGCAAGAG	611			
				911
				1031
				1091
				1151
				1211
				1271
				1331
				1391
				1451
				1511
				1571
				1631

CTGCCTCAGG CCGCATAAGG CAGCTGACTC TCGCCGCCGA CAAGGGGTAC GAGGTAGTCG 1691
 CGAATCTATT CCAGGTGCCCG CAGAATCCCG TAGTCGACGG GATTCTTGCT TCACCTGGGG 1751
 TACTCCGCCG TGCACACAAAC CTCGACTGCG TGTTAAGAGA GGGTGCACG CTATTCCCTG 1811
 TGGTTATTAC GACAGTGGAA GACGCCATGA CACCAAAGC ATTGAACAGC AAAATGTTG 1871
 CTGTCATTGA AGGCGTGCAGA GAAGACCTCC AACCTCCATC TCAAAGAGGA TCCTTCATAC 1931
 GAACTCTCTC TGGACACAGA GTCTATGGAT ATGCTCCAGA TGGGGTACTT CCACTGGAGA 1991
 CTGGGAGAGA CTACACCGTT GTCCAATAG ATGATGTCTG GGACGACAGC ATTATGCTGT 2051
 CCAAAGATCC CATACTCCT ATTGTGGAA ACAGTGGAAA TCTAGCCATA GCTTACATGG 2111
 ATGTGTTTCG ACCCAAAGTC CCAATCCATG TGGCTATGAC GGGAGCCCTC AATGCTTG 2171
 GCGAGATTGA GAAAGTAAGC TTTAGAAGCA CCAAGCTCGC CACTGCACAC CGACTTGGCC 2231
 TTAGGTTGGC TGGTCCCGGA GCATTGATG TAAACACCGG GCCCAACTGG GCAACGTTCA 2291
 TCAAACGTTT CCCTCACAAAT CCACGCGACT GGGACAGGCT CCCCTACCTC AACCTACCAT 2351
 ACCTTCCACC CAATGCAGGA CGCCAGTACC ACCTTGCCAT GGCTGCATCA GAGTTCAAAG 2411
 AGACCCCCGA ACTCGAGAGT GCCGTCAGAG CAATGGAAGC AGCAGCCAAC GTGGACCCAC 2471
 TATTCCAATC TGCACTCAGT GTGTTCATGT GGCTGGAAGA GAATGGGATT GTGACTGACA 2531
 TGGCCAACCTT CGCACTCAGC GACCCGAACG CCCATCGGAT GCGAAATTTC CTTGCAAACG 2591
 CACCACAAGC AGGCAGCAAG TCGCAAAGGG CCAAGTACGG GACAGCAGGC TACGGAGTGG 2651
 AGGCTCGGGG CCCCACACCA GAGGAAGCAC AGAGGGAAAA AGACACACGG ATCTCAAAGA 2711
 AGATGGAGAC CATGGGCATC TACTTGCAA CACCAGAATG GGTAGCACTC AATGGGCACC 2771
 GAGGGCCAAG CCCCAGGCCAG CTAAAGTACT GGCAGAACAC ACGAGAAATA CGGGACCCAA 2831
 ACGAGGACTA TCTAGACTAC GTGCATGCAG AGAAGAGCCG GTTGGCATCA GAAGAACAAA 2891
 TCCTAAGGGC AGCTACGTG ATCTACGGGG CTCCAGGACA GGCAGAGCCA CCCCCAAGCTT 2951
 TCATAGACGA AGTTGCCAAA GTCTATGAAA TCAACCATGG ACGTGGCCCA AACCAAGAAC 3011
 AGATGAAAGA TCTGCTCTTG ACTGCGATGG AGATGAAGCA TCGCAATCCC AGGCGGGCTC 3071
 TACCAAAGCC CAAGCCAAAA CCCAATGCTC CAACACAGAG ACCCCCTGGT CGGCTGGGCC 3131
 GCTGGATCAG GACCGTCTCT GATGAGGACC TTGAGTGAGG CTCCTGGGAG TCTCCCGACA 3191

40

CCACCCGCGC AGGTGTGGAC ACCAATTCAACG CCTTACAACA TCCCAAATTG GATCCGTTCG 3251
 CGGGTCCCCT 3261

(2) INFORMATION FOR SEQ ID NO:28:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 145 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

Met	Val	Ser	Arg	Asp	Gln	Thr	Asn	Asp	Arg	Ser	Asp	Asp	Lys	Pro	Ala
1															15
Arg	Ser	Asn	Pro	Thr	Asp	Cys	Ser	Val	His	Thr	Glu	Pro	Ser	Asp	Ala
															30
Asn	Asn	Arg	Thr	Gly	Val	His	Ser	Gly	Arg	His	Pro	Gly	Glu	Ala	His
															45
Ser	Gln	Val	Arg	Asp	Leu	Asp	Leu	Gln	Phe	Asp	Cys	Gly	Gly	His	Arg
															60
Val	Arg	Ala	Asn	Cys	Leu	Phe	Pro	Trp	Ile	Pro	Trp	Leu	Asn	Cys	Gly
															80
Cys	Ser	Leu	His	Thr	Ala	Gly	Gln	Trp	Glu	Leu	Gln	Val	Arg	Ser	Asp
															95
Ala	Pro	Asp	Cys	Pro	Glu	Pro	Thr	Gly	Gln	Leu	Gln	Leu	Leu	Gln	Ala
															110
Ser	Glu	Ser	Glu	Ser	His	Ser	Glu	Val	Lys	His	Thr	Ser	Trp	Trp	Arg
															125
Leu	Cys	Thr	Lys	Arg	His	His	Lys	Arg	Arg	Asp	Leu	Pro	Arg	Lys	Pro
															140
Glu															
145															

(2) INFORMATION FOR SEQ ID NO:29:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 3261 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 131..3166

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

GGATACGATC GGTCTGACCC CGGGGGAGTC ACCCGGGGAC AGGCCGTCAA GGCTTGTTC	60		
CAGGATGGGA CTCCTCCTTC TACAACGCTA TCATTGATGG TTAGTAGAGA TCAGACAAAC	120		
GATCGCAGCG ATG ACA AAC CTG CAA GAT CAA ACC CAA CAG ATT GTT CCG Met Thr Asn Leu Gln Asp Gln Thr Gln Gln Ile Val Pro	169		
150	155		
TTC ATA CGG AGC CTT CTG ATG CCA ACA ACC GGA CCG GCG TCC ATT CCG Phe Ile Arg Ser Leu Leu Met Pro Thr Thr Gly Pro Ala Ser Ile Pro	217		
160	165	170	
GAC GAC ACC CTG GAG AAG CAC ACT CTC AGG TCA GAG ACC TCG ACC TAC Asp Asp Thr Leu Glu Lys His Thr Leu Arg Ser Glu Thr Ser Thr Tyr	265		
175	180	185	190
AAT TTG ACT GTG GGG GAC ACA GGG TCA GGG CTA ATT GTC TTT TTC CCT Asn Leu Thr Val Gly Asp Thr Gly Ser Gly Leu Ile Val Phe Phe Pro	313		
195	200	205	
GGA TTC CCT GGC TCA ATT GTG GGT GCT CAC TAC ACA CTG CAG GGC AAT Gly Phe Pro Gly Ser Ile Val Gly Ala His Tyr Thr Leu Gln Gly Asn	361		
210	215	220	
GGG AAC TAC AAG TTC GAT CAG ATG CTC CTG ACT GCC CAG AAC CTA CCG Gly Asn Tyr Lys Phe Asp Gln Met Leu Leu Thr Ala Gln Asn Leu Pro	409		
225	230	235	
GCC AGT TAC AAC TAC TGC AGG CTA GTG AGT CGG AGT CTC ACA GTG AGG Ala Ser Tyr Asn Tyr Cys Arg Leu Val Ser Arg Ser Leu Thr Val Arg	457		
240	245	250	
TCA AGC ACA CTT CCT GGT GGC GTT TAT GCA CTA AAC GGC ACC ATA AAC Ser Ser Thr Leu Pro Gly Gly Val Tyr Ala Leu Asn Gly Thr Ile Asn	505		
255	260	265	270
GCC GTG ACC TTC CAA GGA AGC CTG AGT GAA CTG ACA GAT GTT AGC TAC	553		

Ala Val Thr Phe Gln Gly Ser Leu Ser Glu Leu Thr Asp Val Ser Tyr
275 280 285

GAT CTT GGG TAT GTG AGG CTT GGT GAC CCC ATT CCC GCA ATA GGG CTT 697
Asp Leu Gly Tyr Val Arg Leu Gly Asp Pro Ile Pro Ala Ile Gly Leu
320 325 330

TAC ACC ATA ACT GCA GCC GAT GAT TAC CAA TTC TCA TCA CAG TAC CAA 793
 Tyr Thr Ile Thr Ala Ala Asp Asp Tyr Gln Phe Ser Ser Gln Tyr Gln
 355 360 365

CCA GGT GGG GTA ACA ATC ACA CTG TTC TCA GCC AAC ATT GAT GCC ATC 841
 Pro Gly Gly Val Thr Ile Thr Leu Phe Ser Ala Asn Ile Asp Ala Ile
 370 375 380

ACA AGC CTC AGC GTT GGG GGA GAG CTC GTG TTT CAA ACA AGC GTC CAC 889
 Thr Ser Leu Ser Val Gly Gly Glu Leu Val Phe Gln Thr Ser Val His
 385 390 395

GGC CTT GTA CTG GGC GCC ACC ATC TAC CTC ATA GGC TTT GAT GGG ACA
 Gly Leu Val Leu Gly Ala Thr Ile Tyr Leu Ile Gly Phe Asp Gly Thr
 400 405 410

ACG GTA ATC ACC AGG GCT GTG GCC GCA AAC AAT GGG CTG ACG ACC GGC 985
 Thr Val Ile Thr Arg Ala Val Ala Asn Asn Gly Leu Thr Thr Gly
 415 420 425 430

GGT GGT CAG GCA GGG GAT CAG ATG TCA TGG TCG GCA AGA GGG AGC CTA 1129
 Gly Gly Gln Ala Gly Asp Gln Met Ser Trp Ser Ala Arg Gly Ser Leu
 465 470 475

GCA GTG ACG ATC CAT GGT GGC AAC TAT CCA GGG GCC CTC CGT CCC GTC Ala Val Thr Ile His Gly Gly Asn Tyr Pro Gly Ala Leu Arg Pro Val 480	485	490	1177
ACG CTA GTG GCC TAC GAA AGA GTG GCA ACA GGA TCC GTC GTT ACG GTC Thr Leu Val Ala Tyr Glu Arg Val Ala Thr Gly Ser Val Val Thr Val 495	500	505	510
GCT GGG GTG AGC AAC TTC GAG CTG ATC CCA AAT CCT GAA CTA GCA AAG Ala Gly Val Ser Asn Phe Glu Leu Ile Pro Asn Pro Glu Leu Ala Lys 515	520	525	1273
AAC CTG GTT ACA GAA TAC GGC CGA TTT GAC CCA GGA GCC ATG AAC TAC Asn Leu Val Thr Glu Tyr Gly Arg Phe Asp Pro Gly Ala Met Asn Tyr 530	535	540	1321
ACA AAA TTG ATA CTG AGT GAG AGG GAC CGT CTT GGC ATC AAG ACC GTC Thr Lys Leu Ile Leu Ser Glu Arg Asp Arg Leu Gly Ile Lys Thr Val 545	550	555	1369
TGG CCA ACA AGG GAG TAC ACT GAC TTT CGT GAA TAC TTC ATG GAG GTG Trp Pro Thr Arg Glu Tyr Thr Asp Phe Arg Glu Tyr Phe Met Glu Val 560	565	570	1417
GCC GAC CTC AAC TCT CCC CTG AAG ATT GCA GGA GCA TTC GGC TTC AAA Ala Asp Leu Asn Ser Pro Leu Lys Ile Ala Gly Ala Phe Gly Phe Lys 575	580	585	590
GAC ATA ATC CGG GCC ATA AGG AGG ATA GCT GTG CCG GTG GTC TCC ACA Asp Ile Ile Arg Ala Ile Arg Arg Ile Ala Val Pro Val Val Ser Thr 595	600	605	1513
TTG TTC CCA CCT GCC GCT CCC CTA GCC CAT GCA ATT GGG GAA GGT GTA Leu Phe Pro Pro Ala Ala Pro Leu Ala His Ala Ile Gly Glu Gly Val 610	615	620	1561
GAC TAC CTG CTG GGC GAT GAG GCA CAG GCT GCT TCA GGA ACT GCT CGA Asp Tyr Leu Leu Gly Asp Glu Ala Gln Ala Ala Ser Gly Thr Ala Arg 625	630	635	1609
GCC GCG TCA GGA AAA GCA AGA GCT GCC TCA GGC CGC ATA AGG CAG CTG Ala Ala Ser Gly Lys Ala Arg Ala Ala Ser Gly Arg Ile Arg Gln Leu 640	645	650	1657
ACT CTC GCC GCC GAC AAG GGG TAC GAG GTA GTC GCG AAT CTA TTC CAG Thr Leu Ala Ala Asp Lys Gly Tyr Glu Val Val Ala Asn Leu Phe Gln 655	660	665	670
GTG CCC CAG AAT CCC GTA GTC GAC GGG ATT CTT GCT TCA CCT GGG GTA Val Pro Gln Asn Pro Val Val Asp Gly Ile Leu Ala Ser Pro Gly Val 675	680	685	1753

CTC CGC GGT GCA CAC AAC CTC GAC TGC GTG TTA AGA GAG GGT GCC ACG Leu Arg Gly Ala His Asn Leu Asp Cys Val Leu Arg Glu Gly Ala Thr 690 695 700	1801
CTA TTC CCT GTG GTT ATT ACG ACA GTG GAA GAC GCC ATG ACA CCC AAA Leu Phe Pro Val Val Ile Thr Thr Val Glu Asp Ala Met Thr Pro Lys 705 710 715	1849
GCA TTG AAC AGC AAA ATG TTT GCT GTC ATT GAA GGC GTG CGA GAA GAC Ala Leu Asn Ser Lys Met Phe Ala Val Ile Glu Gly Val Arg Glu Asp 720 725 730	1897
CTC CAA CCT CCA TCT CAA AGA GGA TCC TTC ATA CGA ACT CTC TCT GGA Leu Gln Pro Pro Ser Gln Arg Gly Ser Phe Ile Arg Thr Leu Ser Gly 735 740 745 750	1945
CAC AGA GTC TAT GGA TAT GCT CCA GAT GGG GTA CTT CCA CTG GAG ACT His Arg Val Tyr Gly Tyr Ala Pro Asp Gly Val Leu Pro Leu Glu Thr 755 760 765	1993
GGG AGA GAC TAC ACC GTT GTC CCA ATA GAT GAT GTC TGG GAC GAC AGC Gly Arg Asp Tyr Thr Val Val Pro Ile Asp Asp Val Trp Asp Asp Ser 770 775 780	2041
ATT ATG CTG TCC AAA GAT CCC ATA CCT CCT ATT GTG GGA AAC AGT GGA Ile Met Leu Ser Lys Asp Pro Ile Pro Pro Ile Val Gly Asn Ser Gly 785 790 795	2089
AAT CTA GCC ATA GCT TAC ATG GAT GTG TTT CGA CCC AAA GTC CCA ATC Asn Leu Ala Ile Ala Tyr Met Asp Val Phe Arg Pro Lys Val Pro Ile 800 805 810	2137
CAT GTG GCT ATG ACG GGA GCC CTC AAT GCT TGT GGC GAG ATT GAG AAA His Val Ala Met Thr Gly Ala Leu Asn Ala Cys Gly Glu Ile Glu Lys 815 820 825 830	2185
GTA AGC TTT AGA AGC ACC AAG CTC GCC ACT GCA CAC CGA CTT GGC CTT Val Ser Phe Arg Ser Thr Lys Leu Ala Thr Ala His Arg Leu Gly Leu 835 840 845	2233
AGG TTG GCT GGT CCC GGA GCA TTC GAT GTA AAC ACC GGG CCC AAC TGG Arg Leu Ala Gly Pro Gly Ala Phe Asp Val Asn Thr Gly Pro Asn Trp 850 855 860	2281
GCA ACG TTC ATC AAA CGT TTC CCT CAC AAT CCA CGC GAC TGG GAC AGG Ala Thr Phe Ile Lys Arg Phe Pro His Asn Pro Arg Asp Trp Asp Arg 865 870 875	2329
CTC CCC TAC CTC AAC CTA CCA TAC CTT CCA CCC AAT GCA GGA CGC CAG Leu Pro Tyr Leu Asn Leu Pro Tyr Leu Pro Pro Asn Ala Gly Arg Gln 880 885 890	2377

TAC CAC CTT GCC ATG GCT GCA TCA GAG TTC AAA GAG ACC CCC GAA CTC Tyr His Leu Ala Met Ala Ala Ser Glu Phe Lys Glu Thr Pro Glu Leu 895 900 905 910	2425
GAG AGT GCC GTC AGA GCA ATG GAA GCA GCA GCC AAC GTG GAC CCA CTA Glu Ser Ala Val Arg Ala Met Glu Ala Ala Asn Val Asp Pro Leu 915 920 925	2473
TTC CAA TCT GCA CTC AGT GTG TTC ATG TGG CTG GAA GAG AAT GGG ATT Phe Gln Ser Ala Leu Ser Val Phe Met Trp Leu Glu Glu Asn Gly Ile 930 935 940	2521
GTG ACT GAC ATG GCC AAC TTC GCA CTC AGC GAC CCG AAC GCC CAT CGG Val Thr Asp Met Ala Asn Phe Ala Leu Ser Asp Pro Asn Ala His Arg 945 950 955	2569
ATG CGA AAT TTT CTT GCA AAC GCA CCA CAA GCA GGC AGC AAG TCG CAA Met Arg Asn Phe Leu Ala Asn Ala Pro Gln Ala Gly Ser Lys Ser Gln 960 965 970	2617
AGG GCC AAG TAC GGG ACA GCA GGC TAC GGA GTG GAG GCT CGG GGC CCC Arg Ala Lys Tyr Gly Thr Ala Gly Tyr Gly Val Glu Ala Arg Gly Pro 975 980 985 990	2665
ACA CCA GAG GAA GCA CAG AGG GAA AAA GAC ACA CGG ATC TCA AAG AAG Thr Pro Glu Glu Ala Gln Arg Glu Lys Asp Thr Arg Ile Ser Lys Lys 995 1000 1005	2713
ATG GAG ACC ATG GGC ATC TAC TTT GCA ACA CCA GAA TGG GTA GCA CTC Met Glu Thr Met Gly Ile Tyr Phe Ala Thr Pro Glu Trp Val Ala Leu 1010 1015 1020	2761
AAT GGG CAC CGA GGG CCA AGC CCC GGC CAG CTA AAG TAC TGG CAG AAC Asn Gly His Arg Gly Pro Ser Pro Gly Gln Leu Lys Tyr Trp Gln Asn 1025 1030 1035	2809
ACA CGA GAA ATA CCG GAC CCA AAC GAG GAC TAT CTA GAC TAC GTG CAT Thr Arg Glu Ile Pro Asp Pro Asn Glu Asp Tyr Leu Asp Tyr Val His 1040 1045 1050	2857
GCA GAG AAG AGC CGG TTG GCA TCA GAA GAA CAA ATC CTA AGG GCA GCT Ala Glu Lys Ser Arg Leu Ala Ser Glu Glu Gln Ile Leu Arg Ala Ala 1055 1060 1065 1070	2905
ACG TCG ATC TAC GGG GCT CCA GGA CAG GCA GAG CCA CCC CAA GCT TTC Thr Ser Ile Tyr Gly Ala Pro Gly Gln Ala Glu Pro Pro Gln Ala Phe 1075 1080 1085	2953
ATA GAC GAA GTT GCC AAA GTC TAT GAA ATC AAC CAT GGA CGT GGC CCA Ile Asp Glu Val Ala Lys Val Tyr Glu Ile Asn His Gly Arg Gly Pro 1090 1095 1100	3001

AAC CAA GAA CAG ATG AAA GAT CTG CTC TTG ACT GCG ATG GAG ATG AAG Asn Gln Glu Gln Met Lys Asp Leu Leu Leu Thr Ala Met Glu Met Lys 1105 1110 1115	3049
CAT CGC AAT CCC AGG CGG GCT CTA CCA AAG CCC AAG CCA AAA CCC AAT His Arg Asn Pro Arg Arg Ala Leu Pro Lys Pro Lys Pro Lys Pro Asn 1120 1125 1130	3097
GCT CCA ACA CAG AGA CCC CCT GGT CGG CTG GGC CGC TGG ATC AGG ACC Ala Pro Thr Gln Arg Pro Pro Gly Arg Leu Gly Arg Trp Ile Arg Thr 1135 1140 1145 1150	3145
GTC TCT GAT GAG GAC CTT GAG TGAGGCTCCT GGGAGTCTCC CGACACCACC Val Ser Asp Glu Asp Leu Glu 1155	3196
CGCGCAGGTG TGGACACCAA TTCGGCCTTA CAACATCCC AATTGGATCC GTTCGCGGGT CCCCCT	3256
	3261

(2) INFORMATION FOR SEQ ID NO:30:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1012 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

Met Thr Asn Leu Gln Asp Gln Thr Gln Gln Ile Val Pro Phe Ile Arg
1 5 10 15

Ser Leu Leu Met Pro Thr Thr Gly Pro Ala Ser Ile Pro Asp Asp Thr
20 25 30

Leu Glu Lys His Thr Leu Arg Ser Glu Thr Ser Thr Tyr Asn Leu Thr
35 40 45

Val Gly Asp Thr Gly Ser Gly Leu Ile Val Phe Phe Pro Gly Phe Pro
50 55 60

Gly Ser Ile Val Gly Ala His Tyr Thr Leu Gln Gly Asn Gly Asn Tyr
65 70 75 80

Lys Phe Asp Gln Met Leu Leu Thr Ala Gln Asn Leu Pro Ala Ser Tyr
85 90 95

Asn Tyr Cys Arg Leu Val Ser Arg Ser Leu Thr Val Arg Ser Ser Thr
100 105 110

Leu Pro Gly Gly Val Tyr Ala Leu Asn Gly Thr Ile Asn Ala Val Thr
 115 120 125

Phe Gln Gly Ser Leu Ser Glu Leu Thr Asp Val Ser Tyr Asn Gly Leu
 130 135 140

Met Ser Ala Thr Ala Asn Ile Asn Asp Lys Ile Gly Asn Val Leu Val
 145 150 155 160

Gly Glu Gly Val Thr Val Leu Ser Leu Pro Thr Ser Tyr Asp Leu Gly
 165 170 175

Tyr Val Arg Leu Gly Asp Pro Ile Pro Ala Ile Gly Leu Asp Pro Lys
 180 185 190

Met Val Ala Thr Cys Asp Ser Ser Asp Arg Pro Arg Val Tyr Thr Ile
 195 200 205

Thr Ala Ala Asp Asp Tyr Gln Phe Ser Ser Gln Tyr Gln Pro Gly Gly
 210 215 220

Val Thr Ile Thr Leu Phe Ser Ala Asn Ile Asp Ala Ile Thr Ser Leu
 225 230 235 240

Ser Val Gly Gly Glu Leu Val Phe Gln Thr Ser Val His Gly Leu Val
 245 250 255

Leu Gly Ala Thr Ile Tyr Leu Ile Gly Phe Asp Gly Thr Thr Val Ile
 260 265 270

Thr Arg Ala Val Ala Ala Asn Asn Gly Leu Thr Thr Gly Thr Asp Asn
 275 280 285

Leu Met Pro Phe Asn Leu Val Ile Pro Thr Asn Glu Ile Thr Gln Pro
 290 295 300

Ile Thr Ser Ile Lys Leu Glu Ile Val Thr Ser Lys Ser Gly Gly Gln
 305 310 315 320

Ala Gly Asp Gln Met Ser Trp Ser Ala Arg Gly Ser Leu Ala Val Thr
 325 330 335

Ile His Gly Gly Asn Tyr Pro Gly Ala Leu Arg Pro Val Thr Leu Val
 340 345 350

Ala Tyr Glu Arg Val Ala Thr Gly Ser Val Val Thr Val Ala Gly Val
 355 360 365

Ser Asn Phe Glu Leu Ile Pro Asn Pro Glu Leu Ala Lys Asn Leu Val
 370 375 380

Thr Glu Tyr Gly Arg Phe Asp Pro Gly Ala Met Asn Tyr Thr Lys Leu

385	390	395	400
Ile Leu Ser Glu Arg Asp Arg Arg Leu Gly Ile Lys Thr Val Trp Pro Thr			
405		410	415
Arg Glu Tyr Thr Asp Phe Arg Glu Tyr Phe Met Glu Val Ala Asp Leu			
420		425	430
Asn Ser Pro Leu Lys Ile Ala Gly Ala Phe Gly Phe Lys Asp Ile Ile			
435	440	445	
Arg Ala Ile Arg Arg Ile Ala Val Pro Val Val Ser Thr Leu Phe Pro			
450	455	460	
Pro Ala Ala Pro Leu Ala His Ala Ile Gly Glu Gly Val Asp Tyr Leu			
465	470	475	480
Leu Gly Asp Glu Ala Gln Ala Ala Ser Gly Thr Ala Arg Ala Ala Ser			
485		490	495
Gly Lys Ala Arg Ala Ala Ser Gly Arg Ile Arg Gln Leu Thr Leu Ala			
500		505	510
Ala Asp Lys Gly Tyr Glu Val Val Ala Asn Leu Phe Gln Val Pro Gln			
515	520	525	
Asn Pro Val Val Asp Gly Ile Leu Ala Ser Pro Gly Val Leu Arg Gly			
530	535	540	
Ala His Asn Leu Asp Cys Val Leu Arg Glu Gly Ala Thr Leu Phe Pro			
545	550	555	560
Val Val Ile Thr Thr Val Glu Asp Ala Met Thr Pro Lys Ala Leu Asn			
565		570	575
Ser Lys Met Phe Ala Val Ile Glu Gly Val Arg Glu Asp Leu Gln Pro			
580		585	590
Pro Ser Gln Arg Gly Ser Phe Ile Arg Thr Leu Ser Gly His Arg Val			
595	600	605	
Tyr Gly Tyr Ala Pro Asp Gly Val Leu Pro Leu Glu Thr Gly Arg Asp			
610	615	620	
Tyr Thr Val Val Pro Ile Asp Asp Val Trp Asp Asp Ser Ile Met Leu			
625	630	635	640
Ser Lys Asp Pro Ile Pro Pro Ile Val Gly Asn Ser Gly Asn Leu Ala			
645		650	655
Ile Ala Tyr Met Asp Val Phe Arg Pro Lys Val Pro Ile His Val Ala			
660	665	670	

Met	Thr	Gly	Ala	Leu	Asn	Ala	Cys	Gly	Glu	Ile	Glu	Lys	Val	Ser	Phe
675							680					685			
Arg	Ser	Thr	Lys	Leu	Ala	Thr	Ala	His	Arg	Leu	Gly	Leu	Arg	Leu	Ala
690							695					700			
Gly	Pro	Gly	Ala	Phe	Asp	Val	Asn	Thr	Gly	Pro	Asn	Trp	Ala	Thr	Phe
705							710					715			720
Ile	Lys	Arg	Phe	Pro	His	Asn	Pro	Arg	Asp	Trp	Asp	Arg	Leu	Pro	Tyr
							725					730			735
Leu	Asn	Leu	Pro	Tyr	Leu	Pro	Pro	Asn	Ala	Gly	Arg	Gln	Tyr	His	Leu
							740					745			750
Ala	Met	Ala	Ala	Ser	Glu	Phe	Lys	Glu	Thr	Pro	Glu	Leu	Glu	Ser	Ala
							755					760			765
Val	Arg	Ala	Met	Glu	Ala	Ala	Asn	Val	Asp	Pro	Leu	Phe	Gln	Ser	
							770					775			780
Ala	Leu	Ser	Val	Phe	Met	Trp	Leu	Glu	Glu	Asn	Gly	Ile	Val	Thr	Asp
							785					790			795
Met	Ala	Asn	Phe	Ala	Leu	Ser	Asp	Pro	Asn	Ala	His	Arg	Met	Arg	Asn
							805					810			815
Phe	Leu	Ala	Asn	Ala	Pro	Gln	Ala	Gly	Ser	Lys	Ser	Gln	Arg	Ala	Lys
							820					825			830
Tyr	Gly	Thr	Ala	Gly	Tyr	Gly	Val	Glu	Ala	Arg	Gly	Pro	Thr	Pro	Glu
							835					840			845
Glu	Ala	Gln	Arg	Glu	Lys	Asp	Thr	Arg	Ile	Ser	Lys	Lys	Met	Glu	Thr
							850					855			860
Met	Gly	Ile	Tyr	Phe	Ala	Thr	Pro	Glu	Trp	Val	Ala	Leu	Asn	Gly	His
							865					870			880
Arg	Gly	Pro	Ser	Pro	Gly	Gln	Leu	Lys	Tyr	Trp	Gln	Asn	Thr	Arg	Glu
							885					890			895
Ile	Pro	Asp	Pro	Asn	Glu	Asp	Tyr	Leu	Asp	Tyr	Val	His	Ala	Glu	Lys
							900					905			910
Ser	Arg	Leu	Ala	Ser	Glu	Glu	Gln	Ile	Leu	Arg	Ala	Ala	Thr	Ser	Ile
							915					920			925
Tyr	Gly	Ala	Pro	Gly	Gln	Ala	Glu	Pro	Pro	Gln	Ala	Phe	Ile	Asp	Glu
							930					935			940
Val	Ala	Lys	Val	Tyr	Glu	Ile	Asn	His	Gly	Arg	Gly	Pro	Asn	Gln	Glu

50

945	950	955	960
-----	-----	-----	-----

Gln	Met	Lys	Asp
Leu	Leu	Leu	Thr
Ala	Met	Glu	Met
		Lys	His
			Arg
			Asn

965	970	975	
-----	-----	-----	--

Pro	Arg	Arg	Ala
Leu	Pro	Lys	Pro
		Lys	Pro
		Asn	Ala
			Pro
			Thr

980	985	990	
-----	-----	-----	--

Gln	Arg	Pro	Pro
Gly	Arg	Leu	Gly
Trp	Ile	Arg	Thr
Val	Ser	Asp	

995	1000	1005	
-----	------	------	--

Glu	Asp	Leu	Glu
-----	-----	-----	-----

1010			
------	--	--	--

(2) INFORMATION FOR SEQ ID NO:31:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 3264 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 97..531

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

GGATACGATC GGTCTGACCC CGGGGGAGTC ACCCGGGGAC AGGCCATCAC TGCCTTGTTC	60
---	----

CTGGTTGGAA CTCCTCTTTC TGCTGTACTA TCGTTG ATG GTG AGT AGA GAT CAG	114
	Met Val Ser Arg Asp Gln
	1015

ACA AAC GAT CGC AGC GAT GAC AAA CCT GAT GGA TCA CAC CCA ACA GAT	162
Thr Asn Asp Arg Ser Asp Asp Lys Pro Asp Gly Ser His Pro Thr Asp	
1020 1025 1030	

TGT TCC GTT CAT ACG GAG CCT TCT GAT GCC AAC GAC CGG ACC GGC GTC	210
Cys Ser Val His Thr Glu Pro Ser Asp Ala Asn Asp Arg Thr Gly Val	
1035 1040 1045 1050	

CAT TCC GGA CGA CAC CCT GGA GAA GCA CAC ACT CAG GTC CGA AAC CTC	258
His Ser Gly Arg His Pro Gly Glu Ala His Thr Gln Val Arg Asn Leu	
1055 1060 1065	

GAC TTA CAA CTT GAC TGT AGG GGA TAC AGG GTC AGG ACT AAT TGT CTT	306
---	-----

Asp Leu Gln Leu Asp Cys Arg Gly Tyr Arg Val Arg Thr Asn Cys Leu			
1070	1075	1080	
TTT CCC TGG ATT CCC TGG TTC AGT TGT AGG TGC TCA CTA CAC ACT GCA			354
Phe Pro Trp Ile Pro Trp Phe Ser Cys Arg Cys Ser Leu His Thr Ala			
1085	1090	1095	
GAG CAG TGG GAA CTA CCA ATT CGA CCA GAT GCT CCT GAC AGC GCA GAA			402
Glu Gln Trp Glu Leu Pro Ile Arg Pro Asp Ala Pro Asp Ser Ala Glu			
1100	1105	1110	
CCT GCC TGC CAG CTA CAA CTA CTG CAG GCT AGT GAG CAG GAG TCT AAC			450
Pro Ala Cys Gln Leu Gln Leu Gln Ala Ser Glu Gln Glu Ser Asn			
1115	1120	1125	1130
CGT ACG GTC AAG CAC ACT CCC TGG TGG CGT TTA TGC ACT AAA CGG AAC			498
Arg Thr Val Lys His Thr Pro Trp Trp Arg Leu Cys Thr Lys Arg Asn			
1135	1140	1145	
CAT AAA CGC AGT GAC CTT CCA CGG AAG CCT GAG TGAGTTGACT GACTACAGCT			551
His Lys Arg Ser Asp Leu Pro Arg Lys Pro Glu			
1150	1155		
ACAAACGGGCT GATGTCAGCC ACTGCGAAC A TCAACGACAA GATCGGGAAC GTTCTAGTTG			611
GAGAAGGGGT GACTGTTCTC AGTCTACCGA CTTCATATGA CCTTAGTTAT GTGAGACTCG			671
GTGACCCCAT CCCCCGAGCA GGACTCGACC CGAAGTTGAT GGCCACGTGC GACAGTAGTG			731
ACAGACCCAG AGTCTACACC ATAACAGCTG CAGATGAATA CCAATTCTCG TCACAACCTCA			791
TCCCGAGTGG CGTGAAGACC ACACTGTTCT CCGCCAACAT CGATGCTCTC ACCAGCTTCA			851
GCCTGGTGG TGAGCTTGTC TTCAGCCAAG TAACGATCCA AAGCATTGAA GTGGACGTCA			911
CCATTCACTT CATTGGGTTT GACGGGACAG ACGTAGCAGT CAAGGCAGTT GCAACAGACT			971
TTGGGCTGAC AACTGGGACA AACAAACCTTG TGCCATTCAA CCTGGTGGTC CCAACAAATG			1031
AGATCACCCA GCCCATCACT TCCATGAAAC TAGAGGTTGT GACCTACAAG ATTGGCGGCA			1091
CCGCTGGTGA CCCAATATCA TGGACAGTGA GTGGTACACT AGCTGTGACG GTGCACGGAG			1151
GCAACTACCC TGGGGCTCTC CGTCCTGTCA CCCTGGTGGC CTATGAACGA GTGGCTGCAG			1211
GATCTGTTGT CACAGTTGCA GGGGTGAGCA ACTTCGAGCT AATCCCCAAC CCTGAGCTTG			1271
CAAAGAACCT AGTTACAGAG TATGGCCGCT TTGACCCGG AGCAATGAAC TACACCAAAC			1331
TAATACTGAG TGAGAGAGAT CGTCTAGGCA TCAAGACAGT CTGGCCCACC AGGGAGTACA			1391
CCGATTTCAG GGAGTACTTC ATGGAGGTTG CAGATCTCAA CTCACCCCTA AAGATTGCAG			1451

GAGCATTG CTTAAGGAC ATAATCCGAG CCATCGGAA GATTGCGGTG CCAGTGGTAT 1511
 CCACACTCTT CCCTCCAGCT GCACCCCTAG CACATGCAAT CGGAGAAGGT GTAGACTACC 1571
 TCCTGGGCGA CGAGGCCAA GCAGCCTCAG GGACAGCTCG AGCCGCGTCA GGAAAAGCTA 1631
 GAGCTGCCTC AGGACGAATA AGGCAGCTAA CTCTCGCAGC TGACAAGGGG TGCGAGGTAG 1691
 TCGCCAACAT GTTCCAGGTG CCCCAGAATC CCATTGTTGA TGGCATTCTG GCATCCCCAG 1751
 GAATCCTGCG TGGCGCACAC AACCTCGACT GCGTGCTATG GGAGGGAGCC ACTCTTTCC 1811
 CTGTTGTCAT TACGACACTC GAGGATGAGC TGACCCCCAA GGCAGTGAAC AGCAAAATGT 1871
 TTGCTGTCAT TGAAGGTGTG CGAGAGGACC TCCAGCCTCC ATCCCAACGG GGATCCTTCA 1931
 TTCGAACCTCT CTCTGGCCAT AGAGTCTATG GCTATGCCCG AGACGGAGTA CTGCCTCTGG 1991
 AGACCGGGAG AGACTACACC GTTGTCCAA TTGATGATGT GTGGGACGAT AGCATAATGC 2051
 TGTGCGAGGA CCCCATACCT CCAATCATAG GGAACAGCGG CAACCTAGCC ATAGCATAACA 2111
 TGGATGTCTT CAGGCCAAG GTCCCCATCC ACGTGGCTAT GACAGGGGCC CTCAATGCC 2171
 GCGGTGAGAT CGAGAGTGT ACAGTCCGCA GCACCAAAC CGCCACAGCC CACCGACTTG 2231
 GCATGAAGTT AGCTGGTCCT GGAGCCTATG ACATTAATAC AGGACCTAAC TGGGCAACGT 2291
 TCGTCAAACG TTTCCCTCAC AATCCCCGAG ACTGGGACAG GTTGCCTAC CTCAACCTTC 2351
 CTTATCTCCC ACCAACAGCA GGACGTCAGT TCCATCTAGC CCTGGCTGCC TCCGAGTTCA 2411
 AAGAGACCCC AGAACTCGAA GACGCTGTGC GCGCAATGGA TGCCGCTGCA AATGCCGACC 2471
 CATTGTTCCG CTCAGCTCTC CAGGTCTTCA TGTGGTTGGA AGAAAACGGG ATTGTGACCG 2531
 ACATGGCTAA CTTGCCCTC AGCGACCCAA ACGCGCATAG GATGAAAAAC TTCCTAGCAA 2591
 ACGCACCCCA GGCTGGAAGC AAGTCGCAGA GGGCCAAGTA TGGCACGGCA GGCTACGGAG 2651
 TGGAGGCTCG AGGCCCAACA CCAGAAGAGG CACAGAGGG AAAAGACACA CGGATCTCCA 2711
 AGAAGATGGA AACAAATGGGC ATCTACTTCG CGACACCGGA ATGGGTGGCT CTCAACGGGC 2771
 ACCGAGGCCA AAGCCCCGGC CAACTCAAGT ACTGGCAAAA CACAAGAGAA ATACCAGAGC 2831
 CCAATGAGGA CTACCCAGAC TATGTGCACG CGGAGAAGAG CCGGTTGGCG TCAGAAGAAC 2891
 AGATCCTACG GGCAGCCACG TCGATCTACG GGGCTCCAGG ACAGGCTGAA CCACCCAGG 2951
 CCTTCATAGA CGAGGTGCC 4GGTCTATG AAATCAACCA TGGCGTGTT CCAAACCAGG 3011

AGCAGATGAA GGACCTGCTC CTGACTGCGA TGGAGATGAA GCATCGCAAT CCCAGGCGGG 3071
 CTCCACCAAA GCCAAAGCCA AAACCCAATG CTCCATCACA GAGACCCCCT GGACGGCTGG 3131
 GCCGCTGGAT CAGGACGGTC TCCGACGAGG ACTTGGAGTG AGGCTCCTGG GAGTCTCCCG 3191
 ACACTACCCG CGCAGGTGTG GACACCAATT CGGCCTTCTA CCATCCCAA TTGGATCCGT 3251
 TCGCGGGTCC CCT 3264

(2) INFORMATION FOR SEQ ID NO:32:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 145 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

Met Val Ser Arg Asp Gln Thr Asn Asp Arg Ser Asp Asp Lys Pro Asp
 1 5 10 15

Gly Ser His Pro Thr Asp Cys Ser Val His Thr Glu Pro Ser Asp Ala
 20 25 30

Asn Asp Arg Thr Gly Val His Ser Gly Arg His Pro Gly Glu Ala His
 35 40 45

Thr Gln Val Arg Asn Leu Asp Leu Gln Leu Asp Cys Arg Gly Tyr Arg
 50 55 60

Val Arg Thr Asn Cys Leu Phe Pro Trp Ile Pro Trp Phe Ser Cys Arg
 65 70 75 80

Cys Ser Leu His Thr Ala Glu Gln Trp Glu Leu Pro Ile Arg Pro Asp
 85 90 95

Ala Pro Asp Ser Ala Glu Pro Ala Cys Gln Leu Gln Leu Gln Ala
 100 105 110

Ser Glu Gln Glu Ser Asn Arg Thr Val Lys His Thr Pro Trp Trp Arg
 115 120 125

Leu Cys Thr Lys Arg Asn His Lys Arg Ser Asp Leu Pro Arg Lys Pro
 130 135 140

Glu
 145

(2) INFORMATION FOR SEQ ID NO:33:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 3264 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 131..3169

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

GGATACGATC GGTCTGACCC CGGGGGAGTC ACCCGGGGAC AGGCCATCAC TGCCTGTTC	60		
CTGGTTGGAA CTCCTCTTTC TGCTGTACTA TCGTTGATGG TGAGTAGAGA TCAGACAAAC	120		
GATCGCAGCG ATG ACA AAC CTG ATG GAT CAC ACC CAA CAG ATT GTT CCG Met Thr Asn Leu Met Asp His Thr Gln Gln Ile Val Pro	169		
150	155		
TTC ATA CGG AGC CTT CTG ATG CCA ACG ACC GGA CCG GCG TCC ATT CCG Phe Ile Arg Ser Leu Leu Met Pro Thr Thr Gly Pro Ala Ser Ile Pro	217		
160	165	170	
GAC GAC ACC CTG GAG AAG CAC ACA CTC AGG TCC GAA ACC TCG ACT TAC Asp Asp Thr Leu Glu Lys His Thr Leu Arg Ser Glu Thr Ser Thr Tyr	265		
175	180	185	190
AAC TTG ACT GTA GGG GAT ACA GGG TCA GGA CTA ATT GTC TTT TTC CCT Asn Leu Thr Val Gly Asp Thr Gly Ser Gly Leu Ile Val Phe Phe Pro	313		
195	200	205	
GGA TTC CCT GGT TCA GTT GTA GGT GCT CAC TAC ACA CTG CAG AGC AGT Gly Phe Pro Gly Ser Val Val Gly Ala His Tyr Thr Leu Gln Ser Ser	361		
210	215	220	
GGG AAC TAC CAA TTC GAC CAG ATG CTC CTG ACA GCG CAG AAC CTG CCT Gly Asn Tyr Gln Phe Asp Gln Met Leu Leu Thr Ala Gln Asn Leu Pro	409		
225	230	235	
GCC AGC TAC AAC TAC TGC AGG CTA GTG AGC AGG AGT CTA ACC GTA CGG Ala Ser Tyr Asn Tyr Cys Arg Leu Val Ser Arg Ser Leu Thr Val Arg	457		
240	245	250	

TCA AGC ACA CTC CCT GGT GGC GTT TAT GCA CTA AAC GGA ACC ATA AAC		505
Ser Ser Thr Leu Pro Gly Gly Val Tyr Ala Leu Asn Gly Thr Ile Asn		
255 260 265 270		
GCA GTG ACC TTC CAC GGA AGC CTG AGT GAG TTG ACT GAC TAC AGC TAC		553
Ala Val Thr Phe His Gly Ser Leu Ser Glu Leu Thr Asp Tyr Ser Tyr		
275 280 285		
AAC GGG CTG ATG TCA GCC ACT GCG AAC ATC AAC GAC AAG ATC GGG AAC		601
Asn Gly Leu Met Ser Ala Thr Ala Asn Ile Asn Asp Lys Ile Gly Asn		
290 295 300		
GTT CTA GTT GGA GAA GGG GTG ACT GTT CTC AGT CTA CCG ACT TCA TAT		649
Val Leu Val Gly Glu Gly Val Thr Val Leu Ser Leu Pro Thr Ser Tyr		
305 310 315		
GAC CTT AGT TAT GTG AGA CTC GGT GAC CCC ATC CCC GCA GCA GGA CTC		697
Asp Leu Ser Tyr Val Arg Leu Gly Asp Pro Ile Pro Ala Ala Gly Leu		
320 325 330		
GAC CCG AAG TTG ATG GCC ACG TGC GAC AGT AGT GAC AGA CCC AGA GTC		745
Asp Pro Lys Leu Met Ala Thr Cys Asp Ser Ser Asp Arg Pro Arg Val		
335 340 345 350		
TAC ACC ATA ACA GCT GCA GAT GAA TAC CAA TTC TCG TCA CAA CTC ATC		793
Tyr Thr Ile Thr Ala Ala Asp Glu Tyr Gln Phe Ser Ser Gln Leu Ile		
355 360 365		
CCG AGT GGC GTG AAG ACC ACA CTG TTC TCC GCC AAC ATC GAT GCT CTC		841
Pro Ser Gly Val Lys Thr Thr Leu Phe Ser Ala Asn Ile Asp Ala Leu		
370 375 380		
ACC AGC TTC AGC GTT GGT GAG CTT GTC TTC AGC CAA GTA ACG ATC		889
Thr Ser Phe Ser Val Gly Gly Glu Leu Val Phe Ser Gln Val Thr Ile		
385 390 395		
CAA AGC ATT GAA GTG GAC GTC ACC ATT CAC TTC ATT GGG TTT GAC GGG		937
Gln Ser Ile Glu Val Asp Val Thr Ile His Phe Ile Gly Phe Asp Gly		
400 405 410		
ACA GAC GTA GCA GTC AAG GCA GTT GCA ACA GAC TTT GGG CTG ACA ACT		985
Thr Asp Val Ala Val Lys Ala Val Ala Thr Asp Phe Gly Leu Thr Thr		
415 420 425 430		
GGG ACA AAC AAC CTT GTG CCA TTC AAC CTG GTG GTC CCA ACA AAT GAG		1033
Gly Thr Asn Asn Leu Val Pro Phe Asn Leu Val Val Pro Thr Asn Glu		
435 440 445		
ATC ACC CAG CCC ATC ACT TCC ATG AAA CTA GAG GTT GTG ACC TAC AAG		1081
Ile Thr Gln Pro Ile Thr Ser Met Lys Leu Glu Val Val Thr Tyr Lys		
450 455 460		

ATT GGC GGC ACC GCT GGT GAC CCA ATA TCA TGG ACA GTG AGT GGT ACA Ile Gly Gly Thr Ala Gly Asp Pro Ile Ser Trp Thr Val Ser Gly Thr 465 470 475	1129
CTA GCT GTG ACG GTG CAC GGA GGC AAC TAC CCT GGG GCT CTC CGT CCT Leu Ala Val Thr Val His Gly Gly Asn Tyr Pro Gly Ala Leu Arg Pro 480 485 490	1177
GTC ACC CTG GTG GCC TAT GAA CGA GTG GCT GCA GGA TCT GTT GTC ACA Val Thr Leu Val Ala Tyr Glu Arg Val Ala Ala Gly Ser Val Val Thr 495 500 505 510	1225
GTT GCA GGG GTG AGC AAC TTC GAG CTA ATC CCC AAC CCT GAG CTT GCA Val Ala Gly Val Ser Asn Phe Glu Leu Ile Pro Asn Pro Glu Leu Ala 515 520 525	1273
AAG AAC CTA GTT ACA GAG TAT GGC CGC TTT GAC CCC GGA GCA ATG AAC Lys Asn Leu Val Thr Glu Tyr Gly Arg Phe Asp Pro Gly Ala Met Asn 530 535 540	1321
TAC ACC AAA CTA ATA CTG AGT GAG AGA GAT CGT CTA GGC ATC AAG ACA Tyr Thr Lys Leu Ile Leu Ser Glu Arg Asp Arg Leu Gly Ile Lys Thr 545 550 555	1369
GTC TGG CCC ACC AGG GAG TAC ACC GAT TTC AGG GAG TAC TTC ATG GAG Val Trp Pro Thr Arg Glu Tyr Thr Asp Phe Arg Glu Tyr Phe Met Glu 560 565 570	1417
GTT GCA GAT CTC AAC TCA CCC CTA AAG ATT GCA GGA GCA TTT GGC TTT Val Ala Asp Leu Asn Ser Pro Leu Lys Ile Ala Gly Ala Phe Gly Phe 575 580 585 590	1465
AAG GAC ATA ATC CGA GCC ATT CGG AAG ATT GCG GTG CCA GTG GTA TCC Lys Asp Ile Ile Arg Ala Ile Arg Lys Ile Ala Val Pro Val Val Ser 595 600 605	1513
ACA CTC TTC CCT CCA GCT GCA CCC CTA GCA CAT GCA ATC GGA GAA GGT Thr Leu Phe Pro Pro Ala Ala Pro Leu Ala His Ala Ile Gly Glu Gly 610 615 620	1561
GTA GAC TAC CTC CTG GGC GAC GAG GCC CAA GCA GCC TCA GGG ACA GCT Val Asp Tyr Leu Leu Gly Asp Glu Ala Gln Ala Ala Ser Gly Thr Ala 625 630 635	1609
CGA GCC GCG TCA GGA AAA GCT AGA GCT GCC TCA GGA CGA ATA AGG CAG Arg Ala Ala Ser Gly Lys Ala Arg Ala Ala Ser Gly Arg Ile Arg Gln 640 645 650	1657
CTA ACT CTC GCA GCT GAC AAG GGG TGC GAG GTA GTC GCC AAC ATG TTC Leu Thr Leu Ala Ala Asp Lys Gly Cys Glu Val Val Ala Asn Met Phe 655 660 665 670	1705

CAG GTG CCC CAG AAT CCC ATT GTT GAT GGC ATT CTG GCA TCC CCA GGA Gln Val Pro Gln Asn Pro Ile Val Asp Gly Ile Leu Ala Ser Pro Gly 675 680 685	1753
ATC CTG CGT GGC GCA CAC AAC CTC GAC TGC GTG CTA TGG GAG GGA GCC Ile Leu Arg Gly Ala His Asn Leu Asp Cys Val Leu Trp Glu Gly Ala 690 695 700	1801
ACT CTT TTC CCT GTT GTC ATT ACG ACA CTC GAG GAT GAG CTG ACC CCC Thr Leu Phe Pro Val Val Ile Thr Thr Leu Glu Asp Glu Leu Thr Pro 705 710 715	1849
AAG GCA CTG AAC AGC AAA ATG TTT GCT GTC ATT GAA GGT GTG CGA GAG Lys Ala Leu Asn Ser Lys Met Phe Ala Val Ile Glu Gly Val Arg Glu 720 725 730	1897
GAC CTC CAG CCT CCA TCC CAA CGG GGA TCC TTC ATT CGA ACT CTC TCT Asp Leu Gln Pro Pro Ser Gln Arg Gly Ser Phe Ile Arg Thr Leu Ser 735 740 745 750	1945
GGC CAT AGA GTC TAT GGC TAT GCC CCA GAC GGA GTA CTG CCT CTG GAG Gly His Arg Val Tyr Gly Tyr Ala Pro Asp Gly Val Leu Pro Leu Glu 755 760 765	1993
ACC GGG AGA GAC TAC ACC GTT GTC CCA ATT GAT GAT GTG TGG GAC GAT Thr Gly Arg Asp Tyr Thr Val Val Pro Ile Asp Asp Val Trp Asp Asp 770 775 780	2041
AGC ATA ATG CTG TCG CAG GAC CCC ATA CCT CCA ATC ATA GGG AAC AGC Ser Ile Met Leu Ser Gln Asp Pro Ile Pro Pro Ile Ile Gly Asn Ser 785 790 795	2089
GGC AAC CTA GCC ATA GCA TAC ATG GAT GTC TTC AGG CCC AAG GTC CCC Gly Asn Leu Ala Ile Ala Tyr Met Asp Val Phe Arg Pro Lys Val Pro 800 805 810	2137
ATC CAC GTG GCT ATG ACA GGG GCC CTC AAT GCC CGC GGT GAG ATC GAG Ile His Val Ala Met Thr Gly Ala Leu Asn Ala Arg Gly Glu Ile Glu 815 820 825 830	2185
AGT GTT ACG TTC CGC AGC ACC AAA CTC GCC ACA GCC CAC CGA CTT GGC Ser Val Thr Phe Arg Ser Thr Lys Leu Ala Thr Ala His Arg Leu Gly 835 840 845	2233
ATG AAG TTA GCT GGT CCT GGA GCC TAT GAC ATT AAT ACA GGA CCT AAC Met Lys Leu Ala Gly Pro Gly Ala Tyr Asp Ile Asn Thr Gly Pro Asn 850 855 860	2281
TGG GCA ACG TTC GTC AAA CGT TTC CCT CAC AAT CCC CGA GAC TGG GAC Trp Ala Thr Phe Val Lys Arg Phe Pro His Asn Pro Arg Asp Trp Asp 865 870 875	2329

AGG TTG CCC TAC CTC AAC CTT CCT TAT CTC CCA CCA ACA GCA GGA CGT		2377	
Arg Leu Pro Tyr Leu Asn Leu Pro Tyr Leu Pro Pro Thr Ala Gly Arg			
880	885	890	
CAG TTC CAT CTA GCC CTG GCT GCC TCC GAG TTC AAA GAG ACC CCA GAA		2425	
Gln Phe His Leu Ala Leu Ala Ala Ser Glu Phe Lys Glu Thr Pro Glu			
895	900	905	910
CTC GAA GAC GCT GTG CGC GCA ATG GAT GCC GCT GCA AAT GCC GAC CCA		2473	
Leu Glu Asp Ala Val Arg Ala Met Asp Ala Ala Ala Asn Ala Asp Pro			
915	920	925	
TTG TTC CGC TCA GCT CTC CAG GTC ATG TGG TTG GAA GAA AAC GGG		2521	
Leu Phe Arg Ser Ala Leu Gln Val Phe Met Trp Leu Glu Glu Asn Gly			
930	935	940	
ATT GTG ACC GAC ATG GCT AAC TTC GCC CTC AGC GAC CCA AAC GCG CAT		2569	
Ile Val Thr Asp Met Ala Asn Phe Ala Leu Ser Asp Pro Asn Ala His			
945	950	955	
AGG ATG AAA AAC TTC CTA GCA AAC GCA CCC CAG GCT GGA AGC AAG TCG		2617	
Arg Met Lys Asn Phe Leu Ala Asn Ala Pro Gln Ala Gly Ser Lys Ser			
960	965	970	
CAG AGG GCC AAG TAT GGC ACG GCA GGC TAC GGA GTG GAG GCT CGA GGC		2665	
Gln Arg Ala Lys Tyr Gly Thr Ala Gly Tyr Gly Val Glu Ala Arg Gly			
975	980	985	990
CCC ACA CCA GAA GAG GCA CAG AGG GAA AAA GAC ACA CGG ATC TCC AAG		2713	
Pro Thr Pro Glu Glu Ala Gln Arg Glu Lys Asp Thr Arg Ile Ser Lys			
995	1000	1005	
AAG ATG GAA ACA ATG GGC ATC TAC TTC GCG ACA CCG GAA TGG GTG GCT		2761	
Lys Met Glu Thr Met Gly Ile Tyr Phe Ala Thr Pro Glu Trp Val Ala			
1010	1015	1020	
CTC AAC GGG CAC CGA GGC CCA AGC CCC GGC CAA CTC AAG TAC TGG CAA		2809	
Leu Asn Gly His Arg Gly Pro Ser Pro Gly Gln Leu Lys Tyr Trp Gln			
1025	1030	1035	
AAC ACA AGA GAA ATA CCA GAG CCC AAT GAG GAC TAC CCA GAC TAT GTG		2857	
Asn Thr Arg Glu Ile Pro Glu Pro Asn Glu Asp Tyr Pro Asp Tyr Val			
1040	1045	1050	
CAC GCG GAG AAG AGC CGG TTG GCG TCA GAA GAA CAG ATC CTA CGG GCA		2905	
His Ala Glu Lys Ser Arg Leu Ala Ser Glu Glu Gln Ile Leu Arg Ala			
1055	1060	1065	1070
GCC ACG TCG ATC TAC GGG GCT CCA GGA CAG GCT GAA CCA CCC CAG GCC		2953	
Ala Thr Ser Ile Tyr Gly Ala Pro Gly Gln Ala Glu Pro Pro Gln Ala			
1075	1080	1085	

TTC ATA GAC GAG GTC GCC AGG GTC TAT GAA ATC AAC CAT GGG CGT GGT	3001
Phe Ile Asp Glu Val Ala Arg Val Tyr Glu Ile Asn His Gly Arg Gly	
1090	1095
	1100
CCA AAC CAG GAG CAG ATG AAG GAC CTG CTC CTG ACT GCG ATG GAG ATG	3049
Pro Asn Gln Glu Gln Met Lys Asp Leu Leu Leu Thr Ala Met Glu Met	
1105	1110
	1115
AAG CAT CGC AAT CCC AGG CGG GCT CCA CCA AAG CCA AAG CCA AAA CCC	3097
Lys His Arg Asn Pro Arg Arg Ala Pro Pro Lys Pro Lys Pro Lys Pro	
1120	1125
	1130
AAT GCT CCA TCA CAG AGA CCC CCT GGA CGG CTG GGC CGC TGG ATC AGG	3145
Asn Ala Pro Ser Gln Arg Pro Pro Gly Arg Leu Gly Arg Trp Ile Arg	
1135	1140
	1145
	1150
ACG GTC TCC GAC GAG GAC TTG GAG TGAGGCTCCT GGGAGTCTCC CGACACTACC	3199
Thr Val Ser Asp Glu Asp Leu Glu	
	1155
CGCGCAGGTG TGGACACCAA TTCGGCCTTC TACCATCCCA AATTGGATCC GTTCGCGGGT	3259
CCCCT	3264

(2) INFORMATION FOR SEQ ID NO:34:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1013 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

Met Thr Asn Leu Met Asp His Thr Gln Gln Ile Val Pro Phe Ile Arg			
1	5	10	15
Ser Leu Leu Met Pro Thr Thr Gly Pro Ala Ser Ile Pro Asp Asp Thr			
20		25	30
Leu Glu Lys His Thr Leu Arg Ser Glu Thr Ser Thr Tyr Asn Leu Thr			
35		40	45
Val Gly Asp Thr Gly Ser Gly Leu Ile Val Phe Phe Pro Gly Phe Pro			
50		55	60
Gly Ser Val Val Gly Ala His Tyr Thr Leu Gln Ser Ser Gly Asn Tyr			
65		70	75
			80
Gln Phe Asp Gln Met Leu Leu Thr Ala Gln Asn Leu Pro Ala Ser Tyr			

60

85

90

95

Asn Tyr Cys Arg Leu Val Ser Arg Ser Leu Thr Val Arg Ser Ser Thr
 100 105 110

Leu Pro Gly Gly Val Tyr Ala Leu Asn Gly Thr Ile Asn Ala Val Thr
 115 120 125

Phe His Gly Ser Leu Ser Glu Leu Thr Asp Tyr Ser Tyr Asn Gly Leu
 130 135 140

Met Ser Ala Thr Ala Asn Ile Asn Asp Lys Ile Gly Asn Val Leu Val
 145 150 155 160

Gly Glu Gly Val Thr Val Leu Ser Leu Pro Thr Ser Tyr Asp Leu Ser
 165 170 175

Tyr Val Arg Leu Gly Asp Pro Ile Pro Ala Ala Gly Leu Asp Pro Lys
 180 185 190

Leu Met Ala Thr Cys Asp Ser Ser Asp Arg Pro Arg Val Tyr Thr Ile
 195 200 205

Thr Ala Ala Asp Glu Tyr Gln Phe Ser Ser Gln Leu Ile Pro Ser Gly
 210 215 220

Val Lys Thr Thr Leu Phe Ser Ala Asn Ile Asp Ala Leu Thr Ser Phe
 225 230 235 240

Ser Val Gly Gly Glu Leu Val Phe Ser Gln Val Thr Ile Gln Ser Ile
 245 250 255

Glu Val Asp Val Thr Ile His Phe Ile Gly Phe Asp Gly Thr Asp Val
 260 265 270

Ala Val Lys Ala Val Ala Thr Asp Phe Gly Leu Thr Thr Gly Thr Asn
 275 280 285

Asn Leu Val Pro Phe Asn Leu Val Val Pro Thr Asn Glu Ile Thr Gln
 290 295 300

Pro Ile Thr Ser Met Lys Leu Glu Val Val Thr Tyr Lys Ile Gly Gly
 305 310 315 320

Thr Ala Gly Asp Pro Ile Ser Trp Thr Val Ser Gly Thr Leu Ala Val
 325 330 335

Thr Val His Gly Gly Asn Tyr Pro Gly Ala Leu Arg Pro Val Thr Leu
 340 345 350

Val Ala Tyr Glu Arg Val Ala Ala Gly Ser Val Val Thr Val Ala Gly
 355 360 365

Val Ser Asn Phe Glu Leu Ile Pro Asn Pro Glu Leu Ala Lys Asn Leu
 370 375 380

Val Thr Glu Tyr Gly Arg Phe Asp Pro Gly Ala Met Asn Tyr Thr Lys
 385 390 395 400

Leu Ile Leu Ser Glu Arg Asp Arg Leu Gly Ile Lys Thr Val Trp Pro
 405 410 415

Thr Arg Glu Tyr Thr Asp Phe Arg Glu Tyr Phe Met Glu Val Ala Asp
 420 425 430

Leu Asn Ser Pro Leu Lys Ile Ala Gly Ala Phe Gly Phe Lys Asp Ile
 435 440 445

Ile Arg Ala Ile Arg Lys Ile Ala Val Pro Val Val Ser Thr Leu Phe
 450 455 460

Pro Pro Ala Ala Pro Leu Ala His Ala Ile Gly Glu Gly Val Asp Tyr
 465 470 475 480

Leu Leu Gly Asp Glu Ala Gln Ala Ala Ser Gly Thr Ala Arg Ala Ala
 485 490 495

Ser Gly Lys Ala Arg Ala Ala Ser Gly Arg Ile Arg Gln Leu Thr Leu
 500 505 510

Ala Ala Asp Lys Gly Cys Glu Val Val Ala Asn Met Phe Gln Val Pro
 515 520 525

Gln Asn Pro Ile Val Asp Gly Ile Leu Ala Ser Pro Gly Ile Leu Arg
 530 535 540

Gly Ala His Asn Leu Asp Cys Val Leu Trp Glu Gly Ala Thr Leu Phe
 545 550 555 560

Pro Val Val Ile Thr Thr Leu Glu Asp Glu Leu Thr Pro Lys Ala Leu
 565 570 575

Asn Ser Lys Met Phe Ala Val Ile Glu Gly Val Arg Glu Asp Leu Gln
 580 585 590

Pro Pro Ser Gln Arg Gly Ser Phe Ile Arg Thr Leu Ser Gly His Arg
 595 600 605

Val Tyr Gly Tyr Ala Pro Asp Gly Val Leu Pro Leu Glu Thr Gly Arg
 610 615 620

Asp Tyr Thr Val Val Pro Ile Asp Asp Val Trp Asp Asp Ser Ile Met
 625 630 635 640

62

Leu Ser Gln Asp Pro Ile Pro Pro Ile Ile Gly Asn Ser Gly Asn Leu
645 650 655

Ala Ile Ala Tyr Met Asp Val Phe Arg Pro Lys Val Pro Ile His Val
660 665 670

Ala Met Thr Gly Ala Leu Asn Ala Arg Gly Glu Ile Glu Ser Val Thr
675 680 685

Phe Arg Ser Thr Lys Leu Ala Thr Ala His Arg Leu Gly Met Lys Leu
690 695 700

Ala Gly Pro Gly Ala Tyr Asp Ile Asn Thr Gly Pro Asn Trp Ala Thr
705 710 715 720

Phe Val Lys Arg Phe Pro His Asn Pro Arg Asp Trp Asp Arg Leu Pro
725 730 735

Tyr Leu Asn Leu Pro Tyr Leu Pro Pro Thr Ala Gly Arg Gln Phe His
740 745 750

Leu Ala Leu Ala Ala Ser Glu Phe Lys Glu Thr Pro Glu Leu Glu Asp
755 760 765

Ala Val Arg Ala Met Asp Ala Ala Ala Asn Ala Asp Pro Leu Phe Arg
770 775 780

Ser Ala Leu Gln Val Phe Met Trp Leu Glu Glu Asn Gly Ile Val Thr
785 790 795 800

Asp Met Ala Asn Phe Ala Leu Ser Asp Pro Asn Ala His Arg Met Lys
805 810 815

Asn Phe Leu Ala Asn Ala Pro Gln Ala Gly Ser Lys Ser Gln Arg Ala
820 825 830

Lys Tyr Gly Thr Ala Gly Tyr Gly Val Glu Ala Arg Gly Pro Thr Pro
835 840 845

Glu Glu Ala Gln Arg Glu Lys Asp Thr Arg Ile Ser Lys Lys Met Glu
850 855 860

Thr Met Gly Ile Tyr Phe Ala Thr Pro Glu Trp Val Ala Leu Asn Gly
865 870 875 880

His Arg Gly Pro Ser Pro Gly Gln Leu Lys Tyr Trp Gln Asn Thr Arg
885 890 895

Glu Ile Pro Glu Pro Asn Glu Asp Tyr Pro Asp Tyr Val His Ala Glu
900 905 910

Lys Ser Arg Leu Ala Ser Glu Glu Gln Ile Leu Arg Ala Ala Thr Ser
915 920 925

Ile Tyr Gly Ala Pro Gly Gln Ala Glu Pro Pro Gln Ala Phe Ile Asp
930 935 940

Glu Val Ala Arg Val Tyr Glu Ile Asn His Gly Arg Gly Pro Asn Gln
945 950 955 960

Glu Gln Met Lys Asp Leu Leu Leu Thr Ala Met Glu Met Lys His Arg
965 970 975

Asn Pro Arg Arg Ala Pro Pro Lys Pro Lys Pro Lys Pro Asn Ala Pro
980 985 990

Ser Gln Arg Pro Pro Gly Arg Leu Gly Arg Trp Ile Arg Thr Val Ser
995 1000 1005

Asp Glu Asp Leu Glu
1010

Claims

1. A method for preparing live Birnavirus, comprising the following steps:
 - preparing a cDNA containing infectious bursal disease virus genome segments A and B,
 - transcribing said cDNA to produce synthetic RNA transcripts,
 - transfected host cells with said synthetic RNA transcripts,
 - incubating said host cells in a culture medium, and
 - isolating live infectious bursal disease virus from said culture medium.
2. The method according to claim 1, wherein said Birnavirus is infectious bursal disease virus.
3. The method according to claim 1, wherein said host cells are African green monkey Vero cells.
4. The method according to claim 1, wherein said segments A and B of said cDNA are independently prepared.
5. The method according to claim 4, wherein said segment A is present in plasmid pUC19FLAD78 or pUC18FLA23.
6. The method according to claim 4, wherein said segment B is present in plasmid pUC18FLBP2.
7. A live infectious bursal disease virus, wherein said virus is made by a process comprising the steps of preparing a cDNA containing infectious bursal disease virus genome segments A and B,
 - transcribing said cDNA to produce a synthetic RNA transcript,
 - transfected a host cell with said synthetic RNA transcript,
 - incubating said host cell in a culture medium, and
 - isolating live infectious bursal disease virus from said culture medium.
8. A synthetic RNA encoding proteins VP1, VP2, VP3, VP4, and VP5 of infectious bursal disease virus.
9. A host cell transfected with the synthetic RNA according to claim 8.
10. A cDNA containing at least a portion of the infectious bursal disease virus genome selected from the group consisting of segment A,

segment B and segments A and B of infectious bursal disease virus, wherein said cDNA includes the 5' and 3' terminii of said segments.

11. A recombinant vector comprising the cDNA according to claim 10.
12. The vector according to claim 11, wherein said vector is a plasmid.
13. The vector according to claim 12, wherein said plasmid is selected from the group consisting of pUC19FLAD78, pUC18FLA23 and pUC19FLBP2.
14. A host cell transformed with the vector according to claim 11.
15. A vaccine comprising an infectious bursal disease virus according to claim 7, wherein said infectious bursal disease virus is inactivated or attenuated prior to administration.
16. A method for producing a live infectious bursal disease virus vaccine, comprising the steps of
 - preparing a full-length cDNA containing infectious bursal disease virus genome segments A and B,
 - transcribing said cDNA to produce synthetic RNA transcripts,
 - purifying said synthetic RNA transcripts,
 - transfected host cells with said purified RNA transcripts,
 - incubating said host cells in a culture medium,
 - isolating live infectious bursal disease virus from said culture medium,
 - attenuating said live infectious bursal disease virus to produce a virus with reduced virulence, and
 - combining said live infectious bursal disease virus with a pharmaceutically acceptable carrier to produce a live infectious bursal disease virus vaccine.
17. The method according to claim 16, wherein said live infectious bursal disease virus is attenuated by serial passage or site directed mutagenesis.
18. The method according to claim 1, wherein said host cells are poultry cells.
19. The method according to claim 18, wherein said poultry cells are chicken, turkey, or quail cells.

20. The method according to claim 19, wherein said poultry cells are chicken embryo fibroblast cells or chicken embryo kidney cells.

1 / 13

Fig. 1

Fig. 1A

Fig. 1B

Fig. 1C

Fig. 4

Fig. 4A

Fig. 4B

Fig. 5

Fig. 5A

Fig. 5B

Fig. 6

Fig. 6A

Fig. 6B

2 / 13




Fig. 1A

segment A of
strain 23/82

pUC18FLA23

SEQ ID No. 3
C66GAAATTCACTGCA TAGGGGACCCCCAACGGATC -
GCCGCTTAAGT ACGTATCCCCTGGCCCTTGCCTAG
EcoR I | *Msp I*

VP5
VP'3-VP4-VP2

SEQ ID No. 4

GTGAGACCCGATCCTATCCCTATACTGCTCTTAACTGCTCT
CAGTCTGGCTAGGCTATCACTCA6CATTAATCTTAA6A6A
EcoR I

Transcription
→

Fig. 1B

4 / 13

segment B of
strain P2

pUC18FLBP2




Fig. 1C

5 / 13




Fig. 2

6 / 13

Segment A

23-82A SEQ ID No. 7	530 540 550 560 570 580
23A/P2B SEQ ID No. 8	66AAGCCT6A6TGA6TTGACTTACAGCTACAACGGGCT6AT6TCAGCCACT6CGAAC
P2A SEQ ID No. 9	66AAGCCT6A6TGA6TTGACTTACAGCTACAACGGGCT6AT6TCAGCCACT6CGAAC
	66AAGCAGAT6TGTAGCTACAATT666TT6AT6TCT6CAACAGCCAAC
	530 540 550 560 570 580
	590 600 610 620 630 640
23-82A SEQ ID No. 7	ATCAAC6ACAAGATC666AAC6TTCTAGTT66AGAAAGGGGTGACT6TTCTCAGTCTACCG
23A/P2B SEQ ID No. 8	ATCAAC6ACAAGATC666AAC6TTCTAGTT66AGAAAGGGGTGACT6TTCTCAGTCTACCG
P2A SEQ ID No. 9	ATCAAC6ACAATAATT666AAC6TCCCTAGTA6666AA6666TACCC6CCTCA6CTTACCC
	590 600 610 620 630 640

Fig.3A

7 / 13

Segment B

23-82B SEQ ID No. 10	130	140	150	160	170	180
	TTTCAATAGTCACGGCGAACGAAAGATCTCAGCACGCCCTACT6					
23A/P2B SEQ ID No. 11		TTTCAACAGTCACGGCGAACGAAAGATCTCAGCACGCCCTACT6				
P2B SEQ ID No. 12			TTTCAACAGTCACGGCGAACGAAAGATCTCAGCACGCCCTACT6			
	130	140	150	160	170	180
23-82B SEQ ID No. 10	190	200	210	220	230	240
	CTGGACAAAGACCTGGAAAGAACTCTT6ATCCCCAAAGTCTGGGTGCCCACCT6A66ATCCGC					
23A/P2B SEQ ID No. 11		CTGGACAAAGACCTGGAAAGAACTCTT6ATCCCCAAAGTCTGGGTGCCCACCT6A66ATCCGC				
P2B SEQ ID No. 12			CTGGACAAAGACCTGGAAAGAACTCTT6ATCCCCAAAGTCTGGGTGCCCACCT6A66ATCCGC			
	190	200	210	220	230	240

Fig. 3B

8 / 13

Fig. 4A

10 20 30 40 50 60 70

```

GGATACGATCGGTCTGACCCGGAGTCACCCGGAGTCACCTGCAGGCCATCACTGCCTTGTTCCTGGTTGGAA
CTCCTCTCTGCTGTAATCGTTGATGTTGAGTAGAGATTGTTCAACAGATTGTTCATCGGAGCCCTCTGATGCCAAGCCATGACAACC
71 TGATGGATCACCCAACAGATTGTTCAACAGATTGTTCATCGGAGCCCTCTGATGCCAAGCCAGGCCATGACAACC
141 CATTCCGGACACCCCTGGAGAACACACTCAGGTCCGAAACCTCGACTTACAACCTGACTGTAGGG
211 GATACAGGTCAAGGACTTAATTGTTCTTCCCTGGATTCCCTGGTTCAAGTTGACTGTAGGTCAACTACACAC
281 TGCAGAGCAGTGGAAACTACCAATTGACCCAGATGCTCTGACAGGGAGAACCTGGCTTATGCAACTCCCTGGTGGCTTATGCACTA
351 CTAAGCAGCTAACCGTCTAACCGTACGGAGTCTAACCGTACGGTCAAGCACACTCCCTGGTGGCTTATGCACTAACGGGC
421 AACGGAAACCATAACCGCAGTGAAGGAGCTGACCTTGAGTTGAGTTGACTGACTACAGCTACAAACGGGC
491 TGATGTCAGCCACTGCGAACATCAACGACAAGATCGGGAAACGTTCTAGTTGGAGACTCGGTGACCCCATTGGGAGCTGACTGTCT
561 CAGTCTACCGGACTTCATATGACCTTAGTTATGTTGAGACTCGGTGACAGCCAGAGTCAACCCATAACAGCTGCAAGTGAAT
631 CCGAAGTTGATGCCAACGAGTGGGACAGTAGTGAAGGAGCTGAGGACACTGTTCCGCAACATCGATGCTCT
701 ACCAATTCTCGTCACAACCTCATCCCGAGTGGCTGAGGCTTGTCTCAGCCAGTAACGATCCAAAGCATTGAAAGTGGACGTC
771 ACCATTCACTTCATTGGGTTGACGGGACAGACAGTAGCAGTCAAGGCAAGTGGGAGCTAGCCATTCAACCTTGTGCCATTGAGATCACCAC
841 CAACTGGGACAAACCCATTGTGGGTTCCAACAAATGAGATCACCAGCCCCATCAC
911 TTCCATGAAACTAGAGGTTGTGACCTACAAGATTGGGGACCGCTGGTACCCAAATTATCATGACAGTGT
981 AGTGGTACACTAGCTGTGACGGTGCACGGCAACTACCCCTGGGCTCTCCGTCTGTACCCCTGGTGG
1051 CCTATGAAACGAGTGGCTGCAGGATCTGTCAAGTTGAGGGTGAAGCAACTTCGAGCTAATCCCCAA
1121 CCCTGAGCTTGCACAAAGAACCTAGTTACAGAGTATGCTCTAGGCTTGCAGGAGTACCCGATTGAAACTACACAA
1191 CTAATACTGAGTGAAGAGATCGTCTAGGCTCAAGACAGTCCCTAAAGATTGCAAGGAGCATTGGCTTAAGGA
1261 GGGAGTACTTCATGGGGTTGCAGATCTCAACTCACCCCTAAAGATTGCAAGTGGCTCCAGTGCACCCCTA
1331 CATAATCCGAGCCATTGGAGAGATTGGGAGGTGAGACTACCTCTGGGAGCCAAAGCAGGCTCAAGGAGCTC
1401 GCACATGCAATCGGAAGGGTAGACTACCTCTGGGAGCCCTCAGGACGAATAAGGAGCTAACCTCGCAAGTGGCAACTTCCCA
1471 GAGCCGGCTCAGGAAAAGCTAGAGCTGGCATTCAGGAGCTGGCATTGGAACATGGCATTCCCA
1541 GTGGGAGGTAGTCGCCAACATGGCATTCCAGGTTCCAGGAAATCCCATGGCATTGGAACATGGCATTCCCA
1611 GGAATCCCTGCCTGGGAGCCACTGGCTGCTGGGACACAAACCTGCAGTGGGAGCCACTGGCTTCCCTGGTCA
1681
1751

```

9 / 13

1821 TTACGACACTCGAGGATGAGCTGACCCCCAAGGCCACTGAACAGCAAATGTTTGCTGTCAATTGAAAGGTGT
 1891 GCGAGGGACCTCCAGCCTCCATCCCACGGGATCCTTCATTCGAACCTCTCTGGCCAATAGAGTCTAT
 1961 GGCTATGCCCATGACGGACTGCTGGAGGAGACTACACCGTTGTGCAAGGGACCCATACCTCCAAATCAATGGC
 2031 TGTGGGACGATAACGATTAATGCTGTGGAGGACTACGGGACCCATACCTCCAAATCAATGGGAAACGCTAGC
 2101 CATAGCATACATGGATGTCTTCAGGGCAAGGTCCCCATCCACGTTGGCTATGACGGGCCCCTCAATGCC
 2171 CGGGTGAAGATCGAGACTGTACGTTACGTTACGGACCAAACTCGCCACAGCCACCCGACTTGGCATGAAGT
 2241 TAGCTGGTCCTGAGGCATGACATTAAACAGGACCTAACTGGCAACGTTACTGGCAACGTTTCGTCAAACGTT
 2311 CAATCCCCGAGACTGGGACAGGGTTACCTCAACCTTCCCTTACCTCAACCTTCCACCAACAGCAGGACGTCAG
 2381 TTCCATCTAGCCCTGGCTGCCCTCCGAGTTCAAGAGACCCCCAGAACCTCGAACAGACGCTGTGGTTGAAAGAAA
 2451 ATGCCGCTGCCAATGCCGACCCATTGTTCCAGGCTCAGCTCGGGCAATAGGATGAAAACCTCCCTAGCA
 2521 GATTGTGACCGACATGGCTAACTTCGCCCCCTCAGCGACCCATTGTTCCAGGCTCTCCAGGCTCTAGCA
 2591 AACGGCACCCAGGCTGGAAGCAAGTCGCAAGGGCAAGTGGCACGGGATCTCCAAAGAAGATGAAACAATGGG
 2661 GAGGCCACACAGGAAAGGACACAGGGAAAGAACACACGGGATGGGTGGCTCTAACGGGCAACGGGAGGGCTC
 2731 CACTACTTCGCGACACGGGAATGGGTGGCTATGAGGAAACTCAAGGGCCAAAGCCCCAGGGCAACTCAAG
 2801 TACTGGCAAAACACAGGAAATACCAAGAGAAATACCAAGAGCCAAATGAGGAACTACCCAGGACTATGTCACGG
 2871 GCCGGTTGGCGTCAGAAGAACAGATCCTACGGCAGCCAGGTCTATGAAATCAACCATTGGCGTGTCCAAACCA
 2941 ACCACCCAGGCCCTCATAGACGAGGTCTATGAGGAACTGCTGAGGATCTACGGGAGGTCTATGAAATCAACC
 3011 GAGCAGATGAAGGACCTGCTCCTGACTGGCATGGAGATGAAGCAATCGCAATTCCAGGGCTGGATCAGGAGGGT
 3081 AGCCAAAGCCAAACCCAATGCTCCATCACAGAACCCATCTGGAGTGGCTCCTGGAGTGGCAACTACCCGGCA
 3151 CTCGACGGAGGACTTGGAGTGGCTCCTGGAGTGGCTCCTGGAGTGGCAACTACCCGGCAACTACCCGGCA
 3221 TCGGCCTTCTACCATCCCCAATTGATCCGATTCGATGGCAATTGACCAAT

Total number of bases is: 3264.
 DNA sequence composition: 834 A; 942 C; 853 G; 635 T;

Sequence name: 23-82A (SEQ ID NOS: 31 and 33)

Fig. 4B

10 / 13

GGATACGATCGGGTCTGACCCGGGGAGGTCAAGGCCTTCAGGGATGGGA
 CTCTCCTTCTACAACGCTATCATTGATGGTTAGAGATCAGACAAACGATCGCAGGATGACAAACC
 71 TGCAAGATCAAACCCAACAGATTGTTCCGTTCATACGGAGCCCTCTGATGCCAACAAACGGACCCGGCTC
 141 CATTCCGGACACCCCTGGAAAGCACACTCTCAGGTCAAGGACCTACAAATTGACTGTGGGG
 211 GACACAGGGTAGGGCTAATTGTCTTTCCCTGGATTCCCTGGCTCAATTGTTGGGTGCTCACTACACAC
 281 TGCAAGGGCAATGGGAACCTACAAGTTGATCAGATGCTGACTGCCAGAACCTACCGGCCAGTTACAA
 351 CTACTGCAGGCTAGTGAGTGGAGTCTCAGTGAGCTCAAGCACACTTCCGGGTTATGCACACTA
 421 AACGGCACCATAACGCCGTGACCTTCCAAGGAAGCCTGAGTGAACTGACAGATGTTAGCTACAAATGGGT
 491 TGATGTCTGCAACAGCCAACATCAACGACAAAATTGGGAACCTGCTAGTGGGAAGGGTAGGGTCAACCGTCT
 561 CAGCTTACCCACATCATGATCTGGGTATGTGAGGCTTGGTGACCCCATTCCCGCAATTGGGCTTGCAC
 631 CCAAAATGGTAGCCACATGTGACAGGAGCTCGTGGGGAGGCTGTTCAAACAGCCTCACCCATAACTGCAGCCGATGATT
 701 ACCAATTCTCATCACAGTACCAACCAGGTGGGTAACAAATCACACTGTTCTCAGCCAACATTGGCTGCCC
 771 CACAAGGCTCAGCGTTGGGGAGGCTCGTGGGAGGCTGTTCAAACAGCCTCACGGGCTGTGGGCAAAATGGCTGACGA
 841 ATCTACCTCATGGCTTGTGATGGACAACGCTAATGCCATTCAATCTGTGATTCCAAACAGGAGATAACCCAGGCAATCACATC
 911 CCGGCACCGACAACCTTATGCCATTCAATCTGTGATTCCAAAGGAGATCAAGTGTCAATGGTCAAGTGGCCT
 981 CATCAAACCTGGAGATAGTGAACCTCCAAAGTGGTCAAGGAGCTCCGGTCCCCTCCGTCAAGGCTAGTGGCCT
 1051 GGGAGCCTAGCAGTGACGGATCCATGGTGGCAACTATCCAGGGGCCCCTCCGTCAAGGCTAGTGGCCT
 1121 ACGAAAAGAGTGGCAACAGGATCCGTTACGGTCGCTGGGTGAGCAACTTCGAGCTGATCCCAAATCC
 1191 TGAACTAGCAAGAACCTGGTTACAGAAATACGGCCGATTGACCCAGGCCATGAACTACACAAATTG
 1261 ATACTGAGTGAGGGACCGTCTGGCATCAAGACCGTCTGGCCAAAGGGAGTACACTGACTTTCTGCTG
 1331 AATACTCATGGAGTGGCTGGCCACCTCAACTCTCCCTGAGATTGCAAGATTGGCTCAAGACAT
 1401 AATCCGGCCATTAAGGAGGATAGCTGTGCCGTGGTCTCCACATTGTTCCACCTGCCGCTCCCCTAGCC
 1471 CATGCAATTGGGAAGGTGACTACCTGCTGGCGATGAGGCACAGGCTGCTTCAAGGAACCTGCTGAG
 1541 CCGCTCAGGAAAGCAAGGCTGCCCTCAGGGTCAAGGCAATAGTCAGGGATTCTCGCCGACAAGGGTA
 1611 CGAGGTAGTCGGGAATCTTCCAGGTGGCTTAAGAGGGTCCACGCTTACCTGGTGGCTTACCTGG
 1681 GTACTCCGGGTGCAACACAACCTGGACTTCAGGTGGCTTACCTGGCTTACCTGGTGGCTTACCTGG
 1751

Fig.5A

11 / 13

CGACAGTGGAAAGACCCATGCCAACCTCCATCTCAAGAGGATCCTTCATACGA
AGAACCCCTCCATCTCTCTGGACTACCTGGAGACTGGGACTTCCATTGCT
TATGCTCCAGATGGGTACTGGGACTACCCATTGCTGGAAACAGTGGAAATCTAGCC
GGACAGCACGGATTGGCAAGATCCCATTACCTCCTATTGCTGGCTATGCT
GGCTTACATGGATGTTGCTGGCCATTCCATGCTGGCTATGCTGGCT
GGGAGATTGAGAAAGTAAGCTTGGGACTGGCAGCTGGCAGCTGGC
CTGGTCCCAGGATTGGCAACGGTAAACCCGGCCAACTGGCAACCTGGCT
TCCACGCCACTGGGACAGGCTCCCACCTCAACCTAACCTGGCAATGG
CTGGTCCCATGGCTGCATCAGGTTCAAAGAGACCCCCGAAACTCGAG
CACCTTGCCATTCCAACTGGGACTTCAAGGAGGAAATTGGGAT
CAGCAGCCACGTTGGGACCCACTATTCCAACTGGGACTTCAAGG
TGTGACTGACATGGCCAACTGGGACTCAGGACGGCTACGGCAAG
GCACCAAGCAGGCAAGTGGGACAGCAGGCTACGGCAAGTGG
GCCAACCCAGGAAAGCACACGGGATCTCAAAGGAGGAAATGG
CTACTTGCACACCAAGGAAATGGCAACGGACTCAATGGCA
TGGCAGAACACCGGAAATACCGGACCCAGGACTATCTAGACT
GTTGGCATCAGAAGAACAAATCCCTAAGGGCAGCTACGT
ACCCAGCTTCAAGCAGGAAAGTCTATGAAATCACCATG
CAGTGAAGATGGGACTTGAAGCAGTGGCTGGCAAAGTCT
CCAAGCCAAACCCAGGACCCCTGGCTGGGATCTGGG
TGATGAGGACCTTGAGTGAAGTGGCAAGGTCTCCGG
GCCTTACCAACATCCCATTGGGATCTGGCTGGG
3151

Total number of bases is: 3261.
DNA sequence composition: 873 A; 909 C; 847 G; 632 T; 0 OTHER;

5B

12 / 13

10 20 30 40 50 60 70

```

1| GGATACGATGGGTCTGACCCCTCTGGAGTCACGAATTAAACGTGGCTACTAGGGCGATACCCGCCGGCTGG
71| CCGCCACGTTAGTGGCTCTTGTATTGACCTGCCACCATGGTCAACAGTCACGGC
14| GCGAAGCACGATCTCAGCGGTTGGCATAAGGCCTACTGGACAAGACGTGGAAAGAACTCTTGATC
21| CCTAAAGTTGGTGCACCTGAGGATCCGGTGGCTAGTCAGCTGGCAAAAGTTCCCTCAGAGAGA
28| ACGGCTACAAAGTTGGCAGCCACGGTCTCTGCCCGAGAAATGAGGAGTATGAGACCACAAATACTCCC
35| AGACTTAGCATGGATGGACAGATAAGGGCTGTTAAAACCCACTCTATCTCCCTATTGGAGAT
42| CAGGAGTACTCCCCAAAGTACTACCCAAACACATGCCCTAGCAAGGAGAACGCCAAATGGTACCCGCCAG
49| ACATCGCAACTCAAGCAGATGATTACCTGTTACCTGTTCCAGGTTCCAGAGGCCAAACGGGGCTAAAGGA
56| TGAAGTAACCTCTTGACCCAAACATAAGGACAAGGAAACCCAAACAGGATCCTAAAGCTTGTT
63| AATCGACCTTGTGGCATGAAGGGAGGTGCCACTGGAAAGAAACCCAAACAGGATCCTAAAGCTTGTT
69| ACACTTTGAGGCATGCCGAGCTACTTGACATCACACTACCCGTAGGGCTACCCGGTAGTGGGACTTAA
77| GCCCTGGTGCCCACTCACAGAGTGGGTCAAGGTGTTGGCTGACGGGAGACGTAGATGGCGACTTT
84| GAGGTTGAAGATTACCTTCCAAATCACCTCAAGTCAAGTGGACTACCATATGTAGGTGGCACCA
91| AAGGAGAGACAATTGGCGAGATGATAGCTAAACCAGTTCTCAGAGGCTATCAACACACTGTTGAA
98| GCAAGGGTGCAGGGACAAAGGGTCAAACAGGAAAGTAAAGTGGACTTAAAGTGGACTATTGTTACCTTA
105| TCATGGGGCTTTGGTTCCAAGGGTACGGACAAAGTACATGGCTCACCAAGACCCGGAACAA
112| TATGGTCAGCTCCATCCCCAACACACCTCATGATCACCTGGCCGTGATGTCCAACGGCCC
119| AAATAACGTGTTGAACATTGAAAGGTGTCATCACTTACAAATTCAACCGGTTAGGGAGGGTGAAC
126| AGGATGGTCGAGTGGAATTGGCCCCGGAAAGAACCCAGGCTTTGTATATGGGACAACATATACATTG
133| TCCACTCAAACACGTGGTACTCAATTGACCTAGAGAAGGGTGAACACGGCAACTGCACCTGGCAAA
140| AGCCGGCAATGTACTACATCACCAAGGGTCAATTGACCTGTTGGACTCATCGTGGCTGATAATTGAA
147| GCCACCTTGGCATGAACATTGGCTGGCTCTAGTGGGACTCATCAACAAACACCTCTTGGCACACTAGT
154| TTAAGACCTATGGTCAAAGGCAGGCCACGTTCAATCAACAAACACCTCTTGGCACACTAGT
161| GCTTGACCAAGTGGAAACCTGATGAGACGCCAGGAGGTCAAAATCAATGGGACAAAG
168| CTAAGGTACTTAAAGATTGAGGTCCTGATGATCAGGGCAAGGCTGAGACAGCTGTCCTCC
175| TTGCACACGGGTACCTGAGTGGGGTACCTGAGCTGGGGTTGAACCAATCCAGCCAAACAA

```

Fig.6A

13 / 13

ACTAGGGTCAAGCTACAGCAAGGAACTCAGCTTGTGCTTGCCTTGCCTATGTCGGATCTCGGCTA
TTTGTCTGCTGGTATCCCAGGGAGTAGAGAACAGACTCTCAAGTCCAAAGACTGGTAGGTGGTGGAACT
CATACAAGGTAGTCAGGTATGAGGCTTGAGGTGGTGGTAGGTGGTGGAACTACCCACTCCTGGTGGAA
CTGCAAGAATAACGGCAGGGCTCGGGCATCGAGGTTCCCAAGGGCTTGGAGGCCATTGGGCTTGGCT
GGGAGTGGTCTGAGCTGAGCTGAGGTGGCTTGGTGGAGGCTTCAAGTCAAGGCTAACAT
CTGAGGCCTAGCCGAACTGAACTGAAAGCCAGTACCCCCAAGCCCCAAATGTCACAGAACGCTCAAC
TGGGGACTCAAGGCAGTCAGCAACGCCCTCAAGACGGTCAAGGAAACGAAGCCGACTGGTACAG
CTCGCTTCTAGCCAGAGCCGATGCCAGTGCAGACTGGTTCGAAAGACTCTGTCAAGCCTTCT
TCCACAAAGTCCAAGCCAGACGCCGATGCCAGAGCTGGAAACAAAGCAGCCACTCAGCAAG
GGAGAAAAGCCGACATGCCAGCAAGGTCGCCACTCAGCAAGGCTCAGCAGCAAG
GTTCAACTCCGTGTACCCCCAAGTACCCAGAAGTCAGAAGTCAAGGAAACGGTCAAG
TTGTTGGCTCCACCTGCCAGGGTGTCCAGGGCACCCAGAGGAAACGGAG
CAGACCAATGGGATGGGGCCCAAGACGGTCCAAGAACACGGTCAAG
CAAAGGAGAGCCACTAAGGACACTCAAGGACACTGGATGGCAACCCGAT
CCCCGGCCTTCGGCCTGGGGGGCCCC

Total number of bases is: 2827.
DNA sequence composition: 796 A; 770 C; 724 G; 537 T; 0 OTHER;

Sequence name: P28 (SEQ ID No: 25)

6B
6.
E

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US97/12955

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :Please See Extra Sheet.

US CL :Please See Extra Sheet.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 424/184.1, 204.1, 816, 826; 435/71.1, 235.1, 236, 237, 238, 239, 320.1; 536/23.72

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS, STN-MEDLINE, BIOSIS, CAPLUS, CABA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	MUNDT et al. Complete Nucleotide Sequences of 5'- and 3' Noncoding Regions of Both Genome Segments of Different Strains of Infectious Bursal Disease Virus. Virology. 1995, Vol. 209, pages 10-18, see entire document.	1-2, 4-20
X	US 4,530,831 A (LUTTICKEN ET AL) 23 JULY 1985 (07/23/85), see entire document.	7, 15-20
X	US 5,192,539 A (VAN DER MAREL ET AL) 09 MARCH 1993 (09/03/93), see entire document.	1-3, 7, 15-20
X	MUNDT et al. Identification of a novel viral protein in infectious bursal disease virus-infected cells. Journal of General Virology. 1995, Vol. 76, pages 437-443, see entire document.	8

 Further documents are listed in the continuation of Box C. See patent family annex.

• Special categories of cited documents:	*T*	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
•A• document defining the general state of the art which is not considered to be of particular relevance	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
•B• earlier document published on or after the international filing date	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
•L• document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Z"	document member of the same patent family
•O• document referring to an oral disclosure, use, exhibition or other means		
•P• document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search

22 SEPTEMBER 1997

Date of mailing of the international search report

10 NOV 1997

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

DATQUAN LEE

Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US97/12955

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	BAYLISS et al. A comparison of the sequences of segment A of four infectious bursal disease virus strain and identification of a variable region in VP2. Journal of General Virology. 1990, Vol. 71, pages 1303-1312, see entire document.	1-2, 5-8, 10-13
Y	MORGAN et al. Sequence of the Small Double-Stranded RNA Genomic Segment of Infectious Bursal Disease Virus and Its Deduced 90kDa Product. Virology. 1988, Vol. 163, pages 240-242, see entire document.	1-20
Y	SPIES et al. Nucleotide sequence of infectious bursal disease virus genome segment A delineates two major open reading frames. Nucleic Acids Research. 1989, Vol. 17, No. 19, page 7982, see entire document.	1-20
Y	WO 91/16925 A1 (UNIVERSITY OF MARYLAND at COLLEGE PARK) 14 NOVEMBER 1991 (14/11/91), see entire document.	1-20

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US97/12955

A. CLASSIFICATION OF SUBJECT MATTER:

IPC (6):

A61K 39/00, 39/38, 39/12; C12P 21/04; C12N 7/00, 7/01, 7/02, 7/04, 7/06, 7/08, 15/00, 15/09, 15/63, 15/70, 15/74

A. CLASSIFICATION OF SUBJECT MATTER:

US CL :

424/184.1, 204.1, 816, 826; 435/71.1, 235.1, 236, 237, 238, 239, 320.1; 536/23.72